

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
Bacteria: Pests				
<i>Erwinia amylovora</i>	fire blight	Enterobacteriaceae	-	NA
<i>Pseudomonas syringae</i> pv. <i>syringae</i> (syn. <i>P. syringae</i> pv. <i>Japonica</i>)	bacterial blast; bacterial canker; blast; blister spot; citrus blast	Pseudomonadaceae	Pseudomonadales	NA
Fungi: Pests				
<i>Alternaria alternata</i> (syn. <i>A. tenuis</i> , <i>Torula alternata</i>)	black mould; black point; black rot; fruit rot; mould; sooty mould	Dematiaceae	Hyphomycetes	NA
<i>Botryosphaeria dothidea</i> (syn. <i>B. berengeriana</i> , <i>Sphaeria dothidea</i>) (anamorph <i>Fusicoccum aesculi</i> , <i>Macrophoma flaccida</i> , <i>Macrophoma reniformis</i> , <i>Phoma flaccida</i> , <i>Phoma reniformis</i>)	black rot; dothiorella rot; ripe spot; white rot	Botryosphaeriaceae	Dothideales	NA
<i>Botryosphaeria obtusa</i>	black rot	Botryosphaeriaceae	Ascomycetes	NA
<i>Botryosphaeria parva</i> (anamorph <i>Fusicoccum parvum</i>)	fruit rot; ripe spot	Botryosphaeriaceae	Dothideales	A
<i>Botryosphaeria stevensii</i>	black rot; diplodia canker	Botryosphaeriaceae	Ascomycetes	NA
<i>Botryosphaeria</i> spp.	fruit rot	Botryosphaeriaceae	Ascomycetes	A
<i>Botryotinia fuckeliana</i> (syn. <i>Peziza fuckeliana</i> , <i>Sclerotinia fuckeliana</i>) (anamorph <i>Botrytis cinerea</i> , <i>Sclerotium durum</i>)	dry eye rot; ghost spot; grey mould	Sclerotiniaceae	Helotiales	NA
<i>Cladosporium herbarum</i>	cladosporium mould	Dematiaceae	Hyphomycetes	NA
<i>Clethridium corticola</i>	-	Amphisphaeriaceae	Ascomycetes	
<i>Colletotrichum acutatum</i> (syn. <i>C. fructigenum</i> , <i>Gloeosporium fructigenum</i>)	anthracnose; bitter rot	-	Coelomycetes	NA
<i>Diaporthe actinidiae</i>	phomopsis rot; stem end fruit rot	Valsaceae	Ascomycetes	NA
<i>Diaporthe perniciososa</i>	fruit rot; phomopsis canker; phomopsis rot	Valsaceae	Ascomycetes	NA
<i>Diaporthe</i> sp.	fruit rot; phomopsis rot	Valsaceae	Ascomycetes	A
<i>Diplocarpon mespili</i>	fabraea leaf spot; fabraea spot; fruit spot	Dematiaceae	Ascomycetes	NA
<i>Elsinoe pyri</i> (anamorph <i>Sphaceloma pyrinum</i>)	anthracnose; scab	Elsinoaceae	Ascomycetes	A

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Eutypa lata</i>	eutypa canker	Diatrypaceae	Ascomycetes	
<i>Fusicoccum luteum</i>	fusicoccum rot; ripe spot	Phomaceae	Coelomycetes	A
<i>Geotrichum candidum</i>	sour rot	Moniliaceae	Hyphomycetes	NA
<i>Gibberella avenacea</i> (syn. <i>Fusarium avenaceum</i>)	fusarium mould; head scab	Nectriaceae	Hypocreales	NA
<i>Gibberella intricans</i> (syn. <i>Fusarium equiseti</i> , <i>Selenosporium equiseti</i>) (anamorph <i>Fusarium equiseti</i> , <i>Selenosporium equiseti</i>)	fusarium rot	Nectriaceae	Hypocreales	
<i>Gloeodes pomigena</i> (syn. <i>Dothidea pomigena</i>)	sooty blotch	Leptostromataceae	Coelomycetes	NA
<i>Glomerella cingulata</i> (syn. <i>G. rufomaculans</i> , <i>Gnomoniopsis cingulata</i>) (anamorph <i>Colletotrichum coffeanum</i> , <i>Colletotrichum gloeosporioides</i> , <i>Gloeosporium limetticola</i> , <i>Septoria rufomaculans</i> , <i>Sporidesmium griseum</i> , <i>Vermicularia gloeosporioides</i>)	anthracnose; bitter rot	Glomerellaceae	Ascomycetes	NA
<i>Leptothyrium pomi</i> (syn. <i>Labrella pomi</i>)	fly speck	-	Coelomycetes	NA
<i>Monilinia fructicola</i>	brown rot	Sclerotiniaceae	Ascomycetes	NA
<i>Monilinia laxa</i>	brown rot	Sclerotiniaceae	Ascomycetes	NA
<i>Mycosphaerella pomi</i> (syn. <i>Sphaerella pomi</i>) (anamorph <i>Cylindrosporium pomi</i>)	Brooks fruit spot	Sphaeriaceae	Ascomycetes	NA
<i>Nectria galligena</i>	cylindrocarpon fruit rot; European canker; eve rot	Hypocreaceae	Ascomycetes	NA
<i>Penicillium expansum</i>	blue mould; blue mould rot	Moniliaceae	Hyphomycetes	NA
<i>Penicillium</i> spp.	penicillium mould	Moniliaceae	Hyphomycetes	NA
<i>Pestalotiopsis maculans</i> (syn. <i>Pestalotia guepinii</i> , <i>P. guepinii</i> , <i>Sporocadus maculans</i>)	leaf spot; pestalotia leaf spot; pestalotiopsis rot	Amphisphaeriaceae	Coelomycetes	NA
<i>Pezicula alba</i>	ripe spot	Dematiaceae	Ascomycetes	NA
<i>Pezicula malicorticis</i>	gleosporium rot; ripe spot	Dematiaceae	Ascomycetes	NA
<i>Phialophora malorum</i> (syn. <i>Sporotrichum carpogenum</i> , <i>Sporotrichum malorum</i>)	side rot	Dematiaceae	Hyphomycetes	NA
<i>Phoma exigua</i> f. sp. <i>exigua</i>	storage rot	Phomaceae	Coelomycetes	NA
<i>Phoma glomerata</i>	phoma leaf and fruit spot; storage rot	Phomaceae	Coelomycetes	NA
<i>Phoma macrostoma</i> f. sp. <i>macrostoma</i>	phoma leaf and fruit spot; storage rot	Phomaceae	Coelomycetes	NA
Fungi: Pests				

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Phoma pomorum</i> (syn. <i>Coniothecium chomatosporum</i> , <i>P. pirinia</i> , <i>P. pomi</i> , <i>P. prunicola</i> , <i>Phyllosticta alni-glutinosa</i> , <i>Phyllosticta circumscissa</i> , <i>Phyllosticta prunicola</i> , <i>Phyllosticta pyrina</i>) (anamorph <i>Coniothecium chomatosporum</i> , <i>Depazea prunicola</i>)	phoma fruit spot; shot-hole spot	Sphaerioidaceae	Coelomycetes	NA
<i>Phomopsis</i> sp.	phomopsis rot	Phomaceae	Coelomycetes	A
<i>Phytophthora cactorum</i> (syn. <i>Peronospora cactorum</i>)	leather rot; phytophthora collar rot; phytophthora crown rot; phytophthora root rot	Pythiaceae	Pythiales	NA
<i>Pleospora allii</i> (syn. <i>Sphaeria allii</i>) (anamorph <i>Helminthosporium vesicarium</i> , <i>Stemphylium vesicarium</i>)	black mould	Pleosporaceae	Pleosporales	NA
<i>Pleospora herbarum</i> (syn. <i>P. australis</i> , <i>P. pomorum</i> , <i>P. zelandica</i> , <i>Sphaeria australis</i> , <i>Sphaeria herbarum</i> , <i>Sphaeria zelandica</i>) (anamorph <i>Macrosporium parasiticum</i> , <i>Stemphylium herbarum</i>)	black mould rot; fruit rot; pod spot; secondary rot	Pleosporaceae	Pleosporales	NA
<i>Podosphaera leucotricha</i>	powdery mildew	Erysiphaceae	Ascomycetes	NA
<i>Rhizopus stolonifer</i> (syn. <i>Mucor stolonifer</i> , <i>R. arrhizus</i> (This name is a misapplication of: <i>Rhizopus arrhizus</i> A. Fisch.), <i>R. nigricans</i>)	mould; rhizopus rot	Mucoraceae	Mucorales	NA
<i>Sclerotinia sclerotiorum</i> (syn. <i>Peziza sclerotiorum</i> , <i>S. libertiana</i>)	calyx end rot; sclerotinia rot; white mould	Sclerotiniaceae	Helotiales	NA
<i>Sphaerotheca pannosa</i>	powdery mildew	Erysiphaceae	Ascomycetes	NA
<i>Valsa leucostoma</i>	valsa canker	Valsaceae	Ascomycetes	NA
<i>Venturia inaequalis</i>	apple scab; black spot	Venturiaceae	Ascomycetes	NA
Insects: Pests				
<i>Acyrtosiphon pisum</i>	pea aphid	Aphididae	Hemiptera	NA
<i>Agonopterix alstroemeriana</i>	hemlock moth	Oecophoridae	Lepidoptera	NA
<i>Agrotis ipsilon</i> (syn. <i>A. spinula</i> , <i>A. suffusa</i> , <i>A. telifera</i> , <i>A. ypsilon</i> , <i>Euxoa ipsilon</i> , <i>Euxoa ypsilon</i> , <i>Exarnis ypsilon</i> , <i>Feltia ipsilon</i> , <i>Feltia ypsilon</i> , <i>Lycophotia ypsilon</i> , <i>Noctua ypsilon</i> , <i>Peridroma suffusa</i> , <i>Phalaena ipsilon</i> , <i>Phalaena ypsilon</i> , <i>Rhyacia ipsilon</i> , <i>Rhyacia ypsilon</i> , <i>Scotia ipsilon</i> , <i>Scotia ypsilon</i>)	greasy cutworm	Noctuidae	Lepidoptera	A
<i>Agrypnus variabilis</i>	variable wireworm	Elateridae	Coleoptera	A
<i>Ahasverus advena</i>	foreign grain beetle	Silvanidae	Coleoptera	NA
<i>Anobium punctatum</i>	house borer	Anobiidae	Coleoptera	NA

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Aonidiella aurantii</i> (syn. <i>Aonidia aurantii</i> , <i>A. citri</i> , <i>A. gennadi</i> , <i>Aspidiotus aurantii</i> , <i>Aspidiotus citri</i> , <i>Aspidiotus coccineus</i> , <i>Chrysomphalus aurantii</i> , <i>Chrysomphalus citri</i>)	California red scale	Diaspididae	Hemiptera	NA
<i>Aphis gossypii</i> (syn. <i>A. bauhiniae</i> , <i>A. citri</i> , <i>A. lilicola</i> , <i>A. minuta</i> , <i>A. parvus</i> , <i>A. tectonae</i> , <i>Doralina frangulae</i> , <i>Doralina gossypii</i> , <i>Doralis frangulae</i> , <i>Toxoptera leonuri</i>)	melon aphid	Aphididae	Hemiptera	NA
<i>Aphodius lividus</i>	dung beetle	Scarabaeidae	Coleoptera	NA
<i>Arhopalus ferus</i>	burnt pine longhorn beetle	Cerambycidae	Coleoptera	NA
<i>Arhopalus tristis</i>	burnt pine longhorn beetle	Cerambycidae	Coleoptera	NA
<i>Aspidiotus nerii</i> (syn. <i>Aspidiosus unipunctatus</i> , <i>Chermes aloes</i> , <i>Diaspis bouchei</i> , <i>Octaspidotus anthospermae</i>)	oleander scale	Diaspididae	Hemiptera	NA
<i>Asynonychus cervinus</i> (syn. <i>Aramigus fulleri</i> , <i>A. godmani</i> , <i>A. godmanni</i> , <i>A. godnami</i> , <i>Pantomorus fulleri</i> , <i>Pantomorus godmani</i> , <i>Pantomorus cervinus</i>)	Fuller's rose weevil	Curculionidae	Coleoptera	NA
<i>Baenothrips moundi</i>	thrips	Phlaeothripidae	Thysanoptera	NA
<i>Barea</i> spp.	Oceophorid moth	Oceophoridae	Lepidoptera	A
<i>Blastobasis tarda</i>	no common name	Blastobasidae	Lepidoptera	NA
<i>Bradysia</i> sp.	fungus gnat	Sciaridae	Diptera	NA
<i>Brentiscerus putoni</i>	lygaeid bug	Lygaeidae	Hemiptera	A
<i>Capua intractana</i> (syn. <i>Sperchia intractana</i>)	dusky leafroller	Tortricidae	Lepidoptera	A
<i>Capua semiferana</i>	leafroller	Tortricidae	Lepidoptera	
<i>Carpophilus davidsoni</i>	dried fruit beetle; fruit beetle; nitidulid beetle	Nitidulidae	Coleoptera	NA
<i>Carpophilus gaveni</i>	dried fruit beetle; fruit beetle; nitidulid beetle; sap beetle	Nitidulidae	Coleoptera	NA
Insects: Pests				
<i>Carpophilus</i> spp.	dried fruit beetle	Nitidulidae	Coleoptera	NA
<i>Catoptes coronatus</i>	broadnosed weevil	Curculionidae	Coleoptera	A

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Cavariella aegopodii</i> (syn. <i>Aphis aegopodii</i> , <i>cavariella umbellatarum</i>)	carrot aphid	Aphididae	Hemiptera	NA
<i>Cerodontha australis</i>	wheat sheath miner	Agromyzidae	Diptera	A
<i>Ceroplastes sinensis</i>	Chinese wax scale	Coccidae	Hemiptera	A
<i>Chloroclystis filata</i>	looper moth	Geometridae	Lepidoptera	A
<i>Chrysodeixis eriosoma</i> (syn. <i>Phytometra eriosoma</i> , <i>Plusia chalcites</i> , <i>Plusia eriosoma</i>)	green looper	Noctuidae	Lepidoptera	A
<i>Cixius punctimargo</i>	-	Cixiidae	Hemiptera	
<i>Cleora scriptaria</i>	geometrid moth; looper	Geometridae	Lepidoptera	A
<i>Cnephasia jactatana</i>	black lyre leafroller; black lyre moth	Tortricidae	Lepidoptera	A
<i>Coleophora mayrella</i> (syn. <i>C. spissicornis</i>)	banded clover casebearer	Coleophoridae	Lepidoptera	NA
<i>Conoderus exsul</i>	wireworm	Elateridae	Coleoptera	NA
<i>Cosmiotes archaeonoma</i>	grass miner	Elachistidae	Lepidoptera	A
<i>Costelytra zealandica</i> (syn. <i>Odontria castanea</i> , <i>Odontria zealandica</i> , <i>Rhisotrogus zealandicus</i>)	grass grub	Scarabaeidae	Coleoptera	A
<i>Cryptolestes</i> spp.	flat grain beetle	Cucujidae	Coleoptera	NA
<i>Ctenopseustis herana</i>	brownheaded leafroller	Tortricidae	Lepidoptera	A
<i>Ctenopseustis obliquana</i> (syn. <i>C. ropeana</i> , <i>Teras obliquana</i>)	brownheaded leafroller	Tortricidae	Lepidoptera	A
<i>Cydia pomonella</i>	codling moth	Tortricidae	Lepidoptera	NA
<i>Dasineura mali</i> (syn. <i>Dasyneura mali</i>)	apple leafcurling midge	Cecidomyiidae	Diptera	A (CA only)
<i>Delia platura</i>	onion fly	Anthomyiidae	Diptera	NA
<i>Diasemia grammalis</i>	-	Crambidae	Lepidoptera	A
<i>Diaspidiotus ostreaeformis</i> (syn. <i>Quadraspidotus ostreaeformis</i>)	oystershell scale	Diaspididae	Hemiptera	NA
<i>Diaspidiotus perniciosus</i> (syn. <i>Aonidia fusca</i> , <i>Aonidiella fusca</i> , <i>Aonidiella perniciosus</i> , <i>Aspidiotus albopunctatus</i> , <i>Aspidiotus andromelas</i> , <i>Aspidiotus fuscus</i> , <i>Aspidiotus perniciosus</i> , <i>Aspidiotus perniciosus</i> , <i>Aspidiotus perniciosus</i> , <i>Aspidiotus perniciosus</i> , <i>Hemiberlesia perniciosus</i> , <i>Quadraspidotus perniciosus</i>)	San Jose scale	Diaspididae	Hemiptera	NA

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Dictyotus caenosus</i>	brown shield bug	Pentatomidae	Hemiptera	A
<i>Dieuches notatus</i>	lygaeid bug	Lygaeidae	Hemiptera	A
<i>Dysaphis aucupariae</i>	wild service aphid	Aphididae	Hemiptera	A
<i>Edwardsiana crataegi</i> (syn. <i>Typhlocyba froggatti</i>)	Froggatt's apple leafhopper	Cicadellidae	Hemiptera	A
<i>Elachista</i> sp.	-	Elachistidae	Lepidoptera	A
<i>Endrosis sarcitrella</i>	white shouldered house moth	Oecophoridae	Lepidoptera	NA
<i>Ephestia elutella</i>	tobacco moth	Pyralidae	Lepidoptera	NA
<i>Epiphyas postvittana</i> (syn. <i>Archips postvittanus</i> , <i>Austrotortrix postvittana</i> , <i>Cacoecia postvittana</i> , <i>Teras postvittana</i> , <i>Tortrix postvittana</i>)	lightbrown apple moth	Tortricidae	Lepidoptera	A
<i>Epyaxa lucidata</i>	native looper	Geometridae	Lepidoptera	A
<i>Epyaxa rosearia</i>	native looper	Geometridae	Lepidoptera	A
<i>Eriosoma lanigerum</i>	woolly apple aphid	Aphididae	Hemiptera	NA
<i>Ernobius mollis</i>	pine knot borer	Anobiidae	Coleoptera	NA
<i>Eucolaspis brunnea</i>	bronze beetle	Chrysomelidae	Coleoptera	A
<i>Eudonia paltomacha</i>	sod webworm	Pyralidae	Lepidoptera	
<i>Eudonia psammitis</i>	sod webworm	Pyralidae	Lepidoptera	A
<i>Eudonia</i> sp. nr. <i>lepatalea</i>	pyralid moth	Pyralidae	Lepidoptera	NA
<i>Forficula auricularia</i>	European earwig	Forficulidae	Dermaptera	NA
Insects: Pests				
<i>Frankliniella occidentalis</i> (syn. <i>Euthrips helianthi</i> , <i>Euthrips occidentalis</i> , <i>Euthrips tritici</i> var. <i>californicus</i> , <i>F. californica</i> , <i>F. canadensis</i> , <i>F. chrysanthemi</i> , <i>F. claripennis</i> , <i>F. conspicua</i> , <i>F. dahliae</i> , <i>F. dianthi</i> , <i>F. helianthi</i> , <i>F. moultoni</i> , <i>F. nubila</i> , <i>F. occidentalis</i> f. <i>brunnescens</i> , <i>F. occidentalis</i> f. <i>dubia</i> , <i>F. syringae</i> , <i>F. trehernei</i> , <i>F. tritici maculata</i> , <i>F. tritici</i> var. <i>moultoni</i> , <i>F. umbrosa</i> , <i>F. venusta</i>)	western flower thrips	Thripidae	Thysanoptera	NA
<i>Gaurax neozealandica</i>	tussock seed fly	Chloropidae	Diptera	A

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Gonipterus scutellatus</i>	gum tree weevil	Curculionidae	Coleoptera	A
<i>Graphania lignana</i>	cutworm moth	Noctuidae	Lepidoptera	A
<i>Graphania mutans</i>	cutworm; grey brown cutworm; grey brown cutworm moth	Noctuidae	Lepidoptera	A
<i>Graphania ustistriga</i>	cutworm moth; large grey cutworm moth	Noctuidae	Lepidoptera	A
<i>Grapholita molesta</i> (syn. <i>Cydia molesta</i>)	oriental fruit moth	Tortricidae	Lepidoptera	NA
<i>Gymnetron pascuorum</i>	weevil	Curculionidae	Coleoptera	NA
<i>Halticus minutus</i>	black garden flea hopper	Miridae	Hemiptera	A
<i>Helastia corcularia</i>	-	Geometridae	Lepidoptera	NA
<i>Helicoverpa armigera</i> (syn. <i>Heliothis armigera conferata</i>)	tomato fruitworm	Noctuidae	Lepidoptera	A
<i>Heliothrips haemorrhoidalis</i> (syn. <i>Dinurothrips rufiventris</i> , <i>H. adonium</i> , <i>H. ceylonicus</i> , <i>H. haemorrhoidalis</i> var. <i>abdominalis</i> , <i>H. haemorrhoidalis</i> var. <i>andustior</i> , <i>H. haemorrhoidalis</i> var. <i>ceylonicus</i> , <i>H. semiaureus</i> , <i>Heterothrips haemorrhoidalis</i> , <i>Thrips haemorrhoidalis</i>)	greenhouse thrips	Thripidae	Thysanoptera	NA
<i>Hemiberlesia lataniae</i> (syn. <i>Aspidiotus askleniae</i> , <i>Aspidiotus aspleniae</i> , <i>Aspidiotus crawii</i> , <i>Aspidiotus cydoniae</i> , <i>Aspidiotus greenii</i> , <i>Aspidiotus lataniae</i> , <i>Aspidiotus punicae</i> , <i>Aspidiotus tectus</i> , <i>Diaspidiotus lataniae</i> , <i>Euaspidiotus lataniae</i> , <i>H. cydoniae</i> , <i>H. greenii</i>)	latania scale	Diaspididae	Hemiptera	NA
<i>Hemiberlesia rapax</i> (syn. <i>Aspidiotus camelliae</i> , <i>Aspidiotus convexus</i> , <i>Aspidiotus lucumae</i> , <i>Aspidiotus rapax</i> , <i>Aspidiotus tricolor</i> , <i>H. argentina</i> , <i>H. rapax</i>)	greedy scale	Diaspididae	Hemiptera	NA
<i>Hydrellia tritici</i>	black pasture fly	Ephydriidae	Diptera	NA
<i>Hygraula nitens</i>	pyralid moth	Crambidae	Lepidoptera	A
<i>Hylastes ater</i>	black pine bark beetle	Scolytidae	Coleoptera	A
<i>Hylurgus ligniperda</i>	golden haired bark beetle	Scolytidae	Coleoptera	A
<i>Icerya purchasi</i> (syn. <i>Pericerya purchasi</i>)	cottony cushion scale	Margarodidae	Hemiptera	NA
<i>Irenimus compressus</i>	compressed weevil	Curculionidae	Coleoptera	A

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Lepidosaphes ulmi</i>	apple mussel scale	Diaspididae	Hemiptera	NA
<i>Leucania stenographa</i> (syn. <i>L. loreyi</i> , <i>Mythimna loreyimina</i> , <i>Mythimna stenographa</i>)	sugarcane army worm	Noctuidae	Lepidoptera	A
<i>Listroderes difficilis</i> (syn. <i>L. obliquus</i>)	vegetable weevil	Curculionidae	Coleoptera	NA
<i>Listronotus bonariensis</i>	Argentine stem weevil; stem weevil	Curculionidae	Coleoptera	A
<i>Longitarsus fuliginosus</i>	flea beetle; leaf beetle	Chrysomelidae	Coleoptera	A
<i>Macrosiphum euphorbiae</i> (syn. <i>Illinoia solanifolii</i> , <i>Macrosiphon solanifolii</i> , <i>M. amygdaloides</i> , <i>M. euphorbiellum</i> , <i>M. koehleri</i> , <i>M. solanifolii</i> , <i>M. tabaci</i> , <i>Nectarophora tabaci</i> , <i>Siphonophora euphorbiae</i>)	potato aphid	Aphididae	Hemiptera	NA
<i>Macrosiphum rosae</i>	rose aphid	Aphididae	Hemiptera	NA
<i>Metopina climieorum</i>	humpbacked fly	Phoridae	Diptera	NA
<i>Microterys nietneri</i>	soft scale parasite	Encyrtidae	Hymenoptera	NA
<i>Mythimna separata</i> (syn. <i>Pseudaletia separata</i>)	cosmopolitan armyworm	Noctuidae	Lepidoptera	A
<i>Myzus persicae</i> (syn. <i>Aphis persicae</i> , <i>Myzodes persicae</i> , <i>Rhopalosiphum persicae</i>)	green peach aphid	Aphididae	Hemiptera	NA
<i>Nipaecoccus aurilanatus</i> (syn. <i>Pseudococcus aurilanatus</i>)	golden mealybug; mealybug	Pseudococcidae	Hemiptera	NA
<i>Notagonum submetallicum</i>	submetallic ground beetle	Carabidae	Coleoptera	NA
<i>Nyctemera annulata</i>	magpie moth	Arctiidae	Lepidoptera	A
<i>Nysius huttoni</i>	nysius bug; wheat bug	Lygaeidae	Hemiptera	A
<i>Orocrambus flexuosellus</i>	grass moth; moss moth	Pyralidae	Lepidoptera	A
<i>Orocrambus</i> spp.	grass moth; moss moth	Pyralidae	Lepidoptera	A
<i>Otiorthynchus</i> sp.	black vine weevil; strawberry root weevil	Curculionidae	Coleoptera	A
Insects: Pests				
<i>Pachybrachius inornatus</i>	seed beetle	Lygaeidae	Heteroptera	A
<i>Paracoccus cavaticus</i>	mealybug	Pseudococcidae	Hemiptera	A
<i>Paracoccus</i> sp. nr. <i>cavaticus</i>	mealybug	Pseudococcidae	Hemiptera	A

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Parlatoria pittospori</i>	mauve pittosporum scale	Diaspididae	Hemiptera	NA
<i>Phlyctinus callosus</i>	garden weevil; vine weevil	Curculionidae	Coleoptera	A
<i>Phrissogonus laticostatus</i>	geometrid moth	Geometridae	Lepidoptera	A
<i>Phthorimaea operculella</i> (syn. <i>Bryotropha solanella</i> , <i>Gelechia operculella</i> , <i>Gelechia tabacella</i> , <i>Gelechia terella</i> , <i>Gnorimoschema operculella</i> , <i>Lita operculella</i> , <i>Lita solanella</i> , <i>P. solanella</i> , <i>P. terrella</i> , <i>Scrobipalpa operculella</i> , <i>Scrobipalpus solanivora</i> , <i>Scrobipalpus solanivora</i>)	potato tuber moth	Gelechiidae	Lepidoptera	NA
<i>Phyllacteophaga froggatti</i>	leafblister sawfly	Pergidae	Hymenoptera	NA
<i>Phyllonorycter messaniella</i>	oak leafminer	Gracillariidae	Lepidoptera	A
<i>Phylloxera</i> sp.	gall phylloxera	Phylloxeridae	Hemiptera	A
<i>Planococcus mali</i>	mealybug	Pseudococcidae	Hemiptera	A
<i>Planotortrix excessana</i> (syn. <i>Teras excessana</i> , <i>Tortrix excessana</i>)	greenheaded leafroller	Tortricidae	Lepidoptera	A
<i>Planotortrix octo</i>	green headed leafroller	Tortricidae	Lepidoptera	A
<i>Plinthisus</i> spp.	seed bug	Lygaeidae	Lepidoptera	A
<i>Plutella xylostella</i>	diamond back moth	Yponomeutidae	Lepidoptera	NA
<i>Pseudococcus calceolariae</i> (syn. <i>Dactylopius calceolariae</i> , <i>Erium calceolariae</i> , <i>P. citrophilus</i> , <i>P. fragilis</i> , <i>P. gahani</i> , <i>P. similans</i>)	citrophilus mealybug	Pseudococcidae	Hemiptera	NA
<i>Pseudococcus longispinus</i>	longtailed mealybug	Pseudococcidae	Hemiptera	NA
<i>Pseudococcus viburni</i> (syn. <i>Dactylopius affinis</i> , <i>P. affinis</i> , <i>P. capensis</i> , <i>P. longispinus</i> var. <i>latipes</i> , <i>P. malacearum</i> , <i>P. obscurus</i>)	obscure mealybug; tuber mealybug	Pseudococcidae	Hemiptera	NA
<i>Pseudocoremia suavis</i>	common forest looper	Geometridae	Lepidoptera	A
<i>Pyrgotis plagiatana</i>	native leafroller; tortricid moth	Tortricidae	Lepidoptera	A
<i>Remaudiereana inornatus</i>	weed seed bug	Lygaeidae	Hemiptera	A
<i>Rhinocyllus conicus</i>	nodding thistle receptacle weevil	Curculionidae	Coleoptera	NA
<i>Rhopalimorpha obscura</i>		Acanthosomatidae	Hemiptera	A
<i>Rhopalosiphum padi</i>	cereal aphid	Aphididae	Hemiptera	NA
<i>Rhypodis clavicornis</i>	seed bug	Lygaeidae	Hemiptera	A

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Rhypodis serricatus</i>	seed bug	Lygaeidae	Hemiptera	A
<i>Saissetia oleae</i> (syn. <i>Bernardia oleae</i> , <i>Chermes oleae</i> , <i>Coccus oleae</i> , <i>Coccus palmarum</i> , <i>Coccus testudo</i> , <i>Lecanium oleae</i> , <i>Lecanium oleae testudo</i> , <i>Lecanium palmarum</i> , <i>Lecanium testudo</i> , <i>Neobernardia oleae</i> , <i>Parasaissetia oleae</i> , <i>S. obovata</i>)	black scale; olive scale	Coccidae	Hemiptera	NA
<i>Scoparia</i> spp.	sod webworm	Pyralidae	Lepidoptera	A
<i>Scopula rubraria</i>	common pasture moth	Geometridae	Lepidoptera	A
<i>Sidnia kinbergi</i>	Australian crop mirid	Miridae	Hemiptera	A
<i>Sigmothrips aotearoana</i>	thrips	Thripidae	Thysanoptera	A
<i>Siphanta acuta</i>	green plant hopper	Flatidae	Hemiptera	A
<i>Sitona discoideus</i>	sitona weevil	Curculionidae	Coleoptera	A
<i>Sitophilus oryzae</i>	rice weevil	Curculionidae	Coleoptera	NA
<i>Stathmopoda plumbiflua</i>	greylined featherfoot; oecophorid moth	Oecophoridae	Lepidoptera	NA
<i>Strepsicrates macropetana</i>	eucalyptus leafroller	Tortricidae	Lepidoptera	A
<i>Symmetrischema plaesiosema</i> (syn. <i>Gnorimoschema plaesiosema</i> , <i>Gnorimoschema tuberosella</i> , <i>Lita melanoplintha</i> , <i>Lita plaesiosema</i> , <i>Phthorimaea aquilina</i> , <i>Phthorimaea melanoplintha</i> , <i>Phthorimaea plaesiosema</i> , <i>Phthorimaea tuberosella</i> , <i>Scrobipalpa plaesiosema</i> , <i>S. tangolias</i> , <i>Trichotaphe tangolias</i>)	tomato stem borer	Gelechiidae	Lepidoptera	NA
<i>Tachyporus nitidulus</i>	rove beetle	Staphylinidae	Coleoptera	NA
<i>Tebenna micalis</i>	-	Choreutidae	Lepidoptera	A
<i>Therioaphis trifolii</i> form <i>maculata</i>	spotted alfalfa aphid	Aphididae	Hemiptera	NA
<i>Xylotoles laetus</i>		Cerambycidae	Coleoptera	Actionable
Mites: Pests				

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Thrips obscuratus</i>	New Zealand flower thrips	Thripidae	Thysanoptera	A
<i>Thysanoplusia orichalcea</i>	burnished brass moth; soybean looper	Noctuidae	Lepidoptera	A
<i>Tmetolophota propria</i>	tussock moth	Noctuidae	Lepidoptera	A
<i>Urophorus humeralis</i> (syn. <i>Carpophilus humeralis</i>)	fruit beetle; nitidulid beetle	Nitidulidae	Coleoptera	NA
<i>Zelleria porphyraula</i>	no common name	Yponomeutidae	Lepidoptera	A
<i>Bryobia rubrioculus</i> (syn. <i>B. arborea</i> , <i>B. redicorzevi</i> , <i>B. redikorzevi</i>)	brown apple mite; brown mite; bryobia mite; pear bryobia	Tetranychidae	Acari	NA
<i>Eriophyes mali</i>	apple blister mite	Eriophyidae	Acari	NA
<i>Panonychus ulmi</i> (syn. <i>Metatetranychus mali</i> , <i>Metatetranychus pilosus</i> , <i>Metatetranychus ulmi</i> , <i>Oligonychus ulmi</i> , <i>Paratetranychus pilosus</i> , <i>Paratetranychus pilosus occidentalis</i> , <i>Paratetranychus ulmi</i> , <i>Tetranychus pilosus</i> , <i>Tetranychus ulmi</i>)	European red mite; European red spider mite; fruit tree red spider mite	Tetranychidae	Acari	NA
<i>Tetranychus urticae</i> (syn. <i>Eotetranychus scabrisetus</i> , <i>Epitetranychus althaeae</i> , <i>Epitetranychus bimaculatus</i> , <i>Epitetranychus telarius</i> , <i>Paratetranychus althaeae</i> , <i>T. althaeae</i> , <i>T. bimaculatus</i> , <i>T. fragariae</i> , <i>T. manihotis</i> , <i>T. russeolus</i> , <i>T. scabrisetus</i>)	two spotted mite; two spotted spider mite	Tetranychidae	Prostigmata	NA
Snails: Pests				
<i>Cochlicopa lubrica</i>	slippery moss snail	Cochlicopidae	Gastropoda	NA
<i>Helix aspersa</i> (syn. <i>Acavus (Helix) adspersa</i> , <i>Cochlea restitutoris</i> , <i>Cochlea vulgaris</i> , <i>Coenatoria aspersa</i> , <i>Cornu copioe</i> , <i>Cornucopia helicina</i> , <i>Cryptomphalus aspersus</i> , <i>H. (Acavus) aspersa</i> , <i>H. (Cryptomphalus) aspersus</i> , <i>H. (Helicogena) aspersa</i> , <i>H. (Pentatoenia) aspersa</i> , <i>H. (Pomatia) adspersa</i> , <i>H. (Pomatia) fluminensis</i> , <i>H. adspersa</i> , <i>H. aspera</i> , <i>H. grisea</i> , <i>H. hortensis</i> , <i>H. lucorum</i> , <i>H. rufescens</i> , <i>H. secunda</i> , <i>H. spumosa</i> , <i>H. variegata</i> , <i>Pomatia aspersa</i> , <i>Serpula cornucopie</i>)	brown garden snail; brown snail; common snail; European brown snail; garden snail	Helicidae	Stylommatophora	NA (except FL, AL)
<i>Vallonia excentrica</i>	eccentric grass snail	Valloniidae	Stylommatophora	NA
Crustaceans: Other Organisms				
<i>Porcellio scaber</i>	common slater; slater	Porcellionidae	Isopoda	NA
Fungi: Other Organisms				
<i>Aureobasidium pullulans</i>	black yeast	Dematiaceae	Hyphomycetes	NA

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Dendryphiella vinosa</i>	-	-	Hyphomycetes	A
<i>Epicoccum purpurascens</i> (syn. <i>E. caricicola</i> , <i>E. neglectum</i> , <i>E. nigrum</i> , <i>Phoma epicoccina</i>)	sooty mould	Dematiaceae	Hyphomycetes	NA
<i>Gibberella baccata</i> (syn. <i>Sphaeria baccata</i>) (anamorph <i>Fusarium carneoroseum</i> , <i>Fusarium fructigenum</i> , <i>Fusarium limonis</i>)	fruit rot; fusarium mould; fusarium rot	Nectriaceae	Hypocreales	NA
<i>Leptosphaerulina chartarum</i>	-	Pleosporaceae	Ascomycetes	
<i>Mucor</i> sp.	mould; mucor rot	Mucoraceae	Zygomycetes	NA
<i>Nectria ochroleuca</i>	mould	Hypocreaceae	Ascomycetes	NA
<i>Paecilomyces</i> sp.	-	Coniophoraceae	Hyphomycetes	
<i>Phoma cava</i>	mouldy core	Phomaceae	Coelomycetes	
<i>Phytophthora syringae</i> (syn. <i>Phloeophthora syringae</i>)	phytophthora fruit rot	Pythiaceae	Pythiales	NA
<i>Rhinochlaeniella</i> sp.	-	-	Hyphomycetes	NA
<i>Trichoderma viride</i>	mould	Moniliaceae	Hyphomycetes	NA
<i>Trichothecium roseum</i>	mould; pink rot	-	Hyphomycetes	NA
<i>Truncatella augustata</i>	-	-	Coelomycetes	NA
Insects: Other Organisms				
<i>Agonum</i> spp.	ground beetle	Carabidae	Coleoptera	NA
<i>Anacharis zealandica</i> (syn. <i>A. australiensis</i>)	lacewing parasite	Figitidae	Hymenoptera	NA
<i>Anagyrus fusciventris</i>	Encyrtid wasp	Encyrtidae	Hymenoptera	
<i>Anchomenus</i> spp.	ground beetle	Carabidae	Coleoptera	NA
<i>Anisomeristes</i> sp.	hooded beetle	Corylophidae	Coleoptera	
<i>Anomalomyia guttata</i>	fungus gnat	Mycetophilidae	Diptera	NA
Insects: Other Organisms				
<i>Anomalomyia</i> sp.	fungus gnat	Mycetophilidae	Diptera	NA
<i>Anthicus floralis</i>	ant-like flower beetle; narrow-necked grain beetle	Anthicidae	Coleoptera	NA
<i>Antipodiphora tonnoiri</i>	native phorid fly	Phoridae	Diptera	NA

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Aoteapsyche catherinae</i>	caddisfly	Hydropsychidae	Trichoptera	NA
<i>Apanteles tasmanicus</i>	leafroller parasite	Braconidae	Hymenoptera	NA
<i>Apanteles</i> sp.	parasitic wasp	Braconidae	Hymenoptera	NA
<i>Aphelinus mali</i>	woolly aphid parasite	Aphelinidae	Hymenoptera	NA
<i>Aphidius</i> sp.	aphid parasite	Braconidae	Hymenoptera	NA
<i>Araecerus palmaris</i>	dried apple beetle; dried fruit weevil; fungus weevil	Anthribidae	Coleoptera	NA
<i>Archeocrypticus topali</i>	ancient fungus beetle; Topal's beetle	Archeocrypticidae	Coleoptera	NA
<i>Aridius bifasciatus</i>	fungus beetle; mildew beetle; minute brown scavenger beetle; scavenger beetle	Corticariidae	Coleoptera	NA
<i>Aridius costatus</i>	minute brown scavenger beetle	Corticariidae	Coloepoptera	
<i>Aridius nodifer</i>	fungus beetle; mildew beetle; minute brown scavenger beetle	Corticariidae	Coleoptera	NA
<i>Ascetoderes obsoletus</i>	cylindrical bark beetle	Bothrideridae	Coleoptera	NA
<i>Atheta</i> sp.	rove beetle	Staphylinidae	Coleoptera	NA
<i>Atomaria</i> sp.	silken fungus beetle	Cryptophagidae	Coleoptera	NA
<i>Austrocalea brookeri</i>	rove beetle	Staphylinidae	Coleoptera	NA
<i>Bitoma distans</i>	rough mould beetle	Colydiidae	Coleoptera	
<i>Blatella germanica</i>	German cockroach	Blattidae	Blattodea	NA
<i>Brevicornu maculata</i>	fungus gnat	Mycetophilidae	Diptera	NA
<i>Buchananiella whitei</i>	minute pirate bug	Anthocoridae	Hemiptera	NA
<i>Calliphora stygia</i>	brown blowfly; Eastern goldenhaired blowfly	Calliphoridae	Diptera	NA
<i>Cartodere</i> spp.	fungus beetle	Lathridiidae	Coleoptera	NA
<i>Chelaner antarcticum</i>	southern ant	Formicidae	Hymenoptera	NA

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Chironomus zealandicus</i>	common midge	Chironomidae	Diptera	NA
<i>Clambus domesticus</i>	clam beetle	Clambidae	Coleoptera	NA
<i>Coccinella undecimpunctata</i>	eleven spotted ladybird	Coccinellidae	Coleoptera	NA
<i>Corticaria pubescens</i>	fungus beetle	Corticariidae	Coleoptera	NA
<i>Corticaria</i> spp.	fungus beetle	Corticariidae	Coleoptera	NA
<i>Corticicaria hirtalis</i>	fungus beetle; mildew beetle; minute scavenger beetle	Corticariidae	Coleoptera	NA
<i>Corticicaria serrata</i>	fungus beetle; scavenger beetle	Corticariidae	Coleoptera	NA
<i>Corticicaria</i> spp.	fungus beetle	Corticariidae	Coleoptera	NA
<i>Corynoptera</i> sp.	dark winged fungus gnat	Sciaridae	Diptera	NA
<i>Cryptophagus</i> spp.	cryptophagid fungus beetle	Cryptophagidae	Coleoptera	NA
<i>Cryptoscenea australiensis</i>	Dusty lacewing	Coniopterygidae	Neuroptera	NA
<i>Culex pervigilans</i>	vigilant mosquito	Culicidae	Diptera	NA
<i>Cyphon</i> sp.	marsh beetle	Scirtidae	Coleoptera	NA
<i>Dermestes maculatus</i>	hide beetle	Dermestidae	Coleoptera	NA
<i>Diplazon laetatorius</i>	ichneumon wasp	Ichneumonidae	Hymenoptera	NA
<i>Drosophila busckii</i>	vinegar fly	Drosophilidae	Diptera	NA
<i>Drosophila immigrans</i>	vinegar fly	Drosophilidae	Diptera	NA
<i>Drymaplaneta semivitta</i>	Gisborne cockroach	Blattidae	Blattodea	NA
<i>Ectopsocus californicus</i>	outer barklouse	Ectopsocidae	Psocoptera	NA
<i>Ectopsocus</i> spp.	book lice; psocid	Ectopsocidae	Psocoptera	NA
<i>Empicoris</i> sp.	assassin bug	Reduviidae	Hemiptera	NA
<i>Entomobrya</i> sp.	springtail	Entomobryidae	Collembola	NA

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Eristalis tenax</i>	Drone Fly (Larvae known as rat-tailed maggots)	Syrphidae	Diptera	NA
<i>Eupsenella insulana</i>	-	Bethylidae	Hymenoptera	NA
<i>Euryomma peregrinum</i>	muscid fly	Fannidae	Diptera	NA
Insects: Other Organisms				
<i>Gressittius antarcticus</i> (syn. <i>Anatopynia antarctica</i>)	midge	Chironomidae	Diptera	NA
<i>Gymnobathra parca</i>	-	Oecophoridae	Lepidoptera	
<i>Haplothrips kurdjumovi</i>	predatory thrips	Phlaeothripidae	Thysanoptera	NA
<i>Helastia cryptica</i>	-	Geometridae	Lepidoptera	NA
<i>Hofmannophila pseudospretella</i>	brown house moth	Oecophoridae	Lepidoptera	NA
<i>Laemostenus complanatus</i>	carabid beetle; ground beetle	Carabidae	Coleoptera	NA
<i>Lasioglossum sordidum</i>	native halticid bee	Halticidae	Hymenoptera	A
<i>Lathridius minutus</i>	square-nosed fungus beetle	Corticariidae	Coleoptera	NA
<i>Lonchoptera furcata</i>	spearwinged fly	Lonchopteridae	Diptera	NA
<i>Megaselia</i> sp.	humpbacked fly	Phoridae	Diptera	NA
<i>Metioche maoricum</i>	mute cricket	Gryllidae	Orthoptera	NA
<i>Metopina climieorum</i>	humpbacked fly	Phoridae	Diptera	NA
<i>Micrambina rutila</i>	plaster beetle; silken fungus beetle	Cryptophagidae	Coleoptera	NA
<i>Micromus tasmaniae</i>	Tasmanian lacewing	Hemerobiidae	Neuroptera	NA
<i>Mitrastethus baridioides</i>	kauri weevil	Curculionidae	Coleoptera	NA
<i>Monomorium antarcticum</i>	ant; southern ant	Formicidae	Hymenoptera	NA
<i>Mycetophila</i> spp.	fungus gnat	Mycetophilidae	Diptera	NA
<i>Nabis kinbergii</i>	pacific damsel bug	Nabidae	Hemiptera	NA
<i>Neurogalesus</i> sp.	parasitic wasp	Diapriidae	Hymenoptera	NA

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Oecophoridae indet</i>	Oecophoridae moth	Oecophorid	Lepidoptera	A
<i>Ophelosia charlesi</i>	parasitic wasp	Pteromalidae	Hymenoptera	NA
<i>Opogona omoscopa</i>	detritus moth; tineid moth	Tineidae	Lepidoptera	NA
<i>Orthoperus atomarius</i>	hooded beetle	Corylophidae	Coleoptera	NA
<i>Oxyethira albiceps</i>	caddisfly	Hydroptilidae	Trichoptera	NA
<i>Paraphloeostiba gayndahensis</i>	rove beetle; staphylinid beetle	Staphylinidae	Coleoptera	NA
<i>Parocystola acroxantha</i>	oecophorid moth	Oecophoridae	Lepidoptera	NA
<i>Paroxyethira hendersoni</i>	caddisfly	Hydroptilidae	Trichoptera	NA
<i>Pollenia rudis</i>	blowfly	Calliphoridae	Diptera	NA
<i>Psilochorema leptoharpax</i>	caddisfly	Hydrobiosidae	Trichoptera	NA
<i>Psychoda</i> spp.	moth fly	Psychodidae	Diptera	NA
<i>Psychoda surcoufi</i>	moth fly	Psychodidae	Diptera	NA
<i>Pteromalus</i> sp.	parasitic wasp	Pteromalidae	Hymenoptera	
<i>Ptinus tectus</i>	Australian spider beetle	Ptinidae	Coleoptera	NA
<i>Scatopsciara</i> sp.	fungus gnat	Sciaridae	Diptera	NA
<i>Scopodes elaphroides</i>	ground beetle	Carabidae	Coleoptera	NA
<i>Scymnus loewii</i>	native ladybird	Coccinellidae	Coleoptera	NA
<i>Sejanus albosignatus</i>	mirid bug	Miridae	Hemiptera	A
<i>Sericoderus brevicornis</i> (syn. <i>Anisomersites brevicornis</i>)	hooded beetle	Corylophidae	Coleoptera	NA
<i>Sphaerotherax suffusus</i>	clam beetle	Clambidae	Coleoptera	NA

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Staphylinidae indet.</i>	rove beetle	Staphylinidae	Coleoptera	NA
<i>Stethorus bifidus</i>	apple mite ladybird; apple spider mite ladybird; ladybird	Coccinellidae	Coleoptera	NA
<i>Sunius propinquus</i>		Staphylinidae	Coleoptera	NA
<i>Sylvicola notatus</i>	outhouse fly	Anisopodidae	Diptera	NA
<i>Syrphidae</i>	hoverfly	Syrphidae	Diptera	NA
<i>Technomyrmex albipes</i>	white-footed house ant	Formicidae	Hymenoptera	NA
<i>Theocalax formiciformis</i>	-	Pteromalidae	Hymenoptera	NA
<i>Thyreocephalus orthodoxus</i>	rove beetle	Staphylinidae	Coleoptera	NA
<i>Tineola bisselliella</i>	clothes moth	Tineidae	Lepidoptera	NA
<i>Tingena</i> spp.	native litter feeding moth	Oecophoridae	Lepidoptera	NA
<i>Trioxys</i> sp.	parasitic wasp	Aphidiidae	Hymenoptera	NA

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
<i>Triphyllus serratus</i>	fungus beetle	Mycetophagidae	Coleoptera	NA
<i>Willowsia</i> sp.	springtail	Entomobryidae	Collembola	NA
Mites: Other Organisms				
<i>Xylocoris galactinus</i>	minute pirate bug	Anthocoridae	Hemiptera	NA
<i>Zygomya</i> sp.	fungus gnat	Mycetophilidae	Diptera	NA
<i>Anystis baccarum</i>	whirligig mite	Anystidae	Acari	NA
<i>Baloghobates nudus</i>	oribatid mite	Mycobatidae	Acari	NA
<i>Bdellodes oraria</i>	snout mite	Bdellidae	Acari	NA
<i>Orthotydeus caudatus</i> (syn. <i>Tydeus caudatus</i>)	fungus feeding mite; tydeid mite	Tydeidae	Acari	NA
<i>Orthotydeus</i> spp.	tydeid mite	Tydeidae	Acari	NA
<i>Typhlodromus pyri</i>	phytoseiid mite; predatory mite	Phytoseiidae	Acari	NA
<i>Tyrophagus putrescentiae</i>	mould mite	Acaridae	Acari	NA
Centipedes: Other Organisms				
<i>Lithobius forficatus</i>	garden centipede	Lithobiidae	Chilopoda	NA
Spiders: Other Organisms				
<i>Badumna</i> sp.	house spider	Desidae	Araneae	NA
<i>Holoplatys</i> sp.	flattened jumping spider	Salticidae	Araneae	NA
<i>Mynoglenes</i> sp.	money spider	Linyphiidae	Araneae	NA
Plant: Other Organisms				
<i>Pastinaca sativa</i>	wild parsnip	Apiaceae		NA

Important Disclaimer regarding advice and explanations

This information is provided on the basis of best knowledge available and is general advice only. It should be noted that in most cases (such as goods from New Zealand entering foreign countries), ultimate control is not in the hands of MAF, and the advice provided may no longer be current.

A= Actionable, NA= Non actionable; USA (AL= Alabama, CA= California, FL= Florida)

Scientific Name	Common Name	Family	Order / Group	USA Pipfruit
-----------------	-------------	--------	---------------	--------------

Changes may be made to, or which affect, overseas country import requirements by the authorities of those countries at short notice or with no notice to New Zealand.

Whilst every effort is made to provide accurate and clear advice and explanation, this information is provided strictly on the basis that the Crown, MAF, its statutory officers, employees, agents and all other persons responsible for the site or associated with the compilation, writing, editing, approval or publication of the information:

- 1 disclaim any and all responsibility for any inaccuracy error, omission, lateness, or any other kind of inadequacy, deficiency or flaw in, or in relation to, the information; and
- 2 without limiting (1) above, fully exclude any and all liability of any kind on the part of all of them, to any person or entity (whether a user of the web-server or not) that chooses to rely on this information

[Note regarding legislation and advice](#)

Compliance with the legal requirements, advice, and explanatory notes on this website is not to be taken as a guarantee that any particular goods will be granted access to any overseas market.