

MAF BIOSECURITY NEW ZEALAND
IMPORTING COUNTRIES PHYTOSANITARY
REQUIREMENTS
INDONESIA

Status: Approved

Date: 28 March 2001

Amendment Record

Amendment No.	Date:	Nature of amendment:	Approved by:
1.	28 March 2001	Issue of new EPS	SMN
2.	6 September 2001	Removal of restrictions for Fruitfly. Correction of spelling errors within quarantine pest lists. Reformatting of EPS	WJH
3.	14 February 2003	Renaming and reformatting of standard. Amendment to Section 2.5 re MPLs.	WJH
4.	23 April 2004	Amendment to Quarantine Pest List, refer Section 2.4.	WJH
5.	1 February 2005	Amendment of MAF contact details Section 1.1 and 1.2. Minor reformatting of document.	WJH
6.	23 March 2007	Amendment of MAF contact details Section 1.1	SW
7.	27 September 2007	Addition of ADs for fruit of avocado, persimmon, kiwifruit. Refer Sec 4.1.1.	SW

8.	29 April 2008	Update re change of requirements for fresh bulbs	SW
9.	20 May 2008	Update of importing conditions for onions (<i>Allium cepa</i>)	IV
10.	17 September 2008	Update of Quarantine Pest List Sec. 2.4. (new quarantine pests). Addition of specific requirements for fresh potatoes, tomatoes and carrots Sec. 4.1.1.	SW
11.	2 February 2009	Update of importing conditions for onions (<i>Allium cepa</i>)	IV
12.	4 February 2009	Update of Quarantine Pest List Sec. 2.4. (new quarantine pests).	IV
13	16 June 2009	Clarification of importing conditions for <i>Malus</i> spp. Section 4.1.1. Email 13 June 2009, MFAT and Dept Agriculture Jakarta. Decree No. 37 of 2006. New ports of entry for fresh fruit and vegetables; Timika (Papua) and Belawan for apples. Section 2.7.	GI
14	18 June 2009	Requirements for the importation of wood packaging. <u>Conditions come in to force September 2009.</u> Section 3.5; <ul style="list-style-type: none"> • must enter through the designated port of entry; • be presented to quarantine inspectors for inspection; • be free from plant quarantine pests; • be debarked and soil free and • has been treated and marked according to ISPM 15 standard. 	GI
15	8 December	Update of importing conditions for onions (<i>Allium cepa</i>). Sections 3.1.1 and 4.1.1.	IV

16.	13 January 2010	Addition of import conditions for fresh cherries. Reference: MFAT correspondence 13.1.10.	GI
17.	4 March 2010	Clarification of the seven ports of entry of fresh fruit and vegetables to Indonesia. Indonesia Agency for Agricultural Quarantine correspondence 2.3.10	GI
18.	14 July 2011	Clarification of the import requirements for <i>Actinidia chinensis</i> (golden kiwifruit) Section 4.1.1	CB

DISCLAIMER

The information in this standard is provided on the following basis. The phytosanitary requirements found in this standard may be used as the basis of export certification. However, requirements may be changed by importing countries at any time at short notice or with no notice to New Zealand. This information is provided strictly on the basis that the Crown, the Ministry of Agriculture & Forestry, its statutory officers, employees, agents and all other persons responsible for or associated with the compilation, writing, editing, approval or publication of the information:

1. disclaim any and all responsibility for any inaccuracy, error, omission, lateness, or any other kind of inadequacy, deficiency or flaw in, or in relation to, the information; and
2. without limiting (1) above, fully exclude any and all liability of any kind on the part of all of them, to any person or entity that chooses to rely on this information

Compliance with this standard is not to be taken as a guarantee that any particular goods will be granted access to any overseas market.

Table of Contents

1	General Information	7
1.1	For enquires about this standard email the Plant Exports Group:	7
1.2	Scope	7
1.3	Phytosanitary Legislation	7
2	General Requirements	8
2.1	Prohibitions	8
2.2	Phytosanitary Import Permits	8
2.3	Phytosanitary Certificates	10
2.4	Quarantine Pests	10
2.5	Maximum Pest Limits (MPLs)	23
2.6	Inspection on Arrival	23
2.7	Ports of Entry	23
2.8	Sampling Rate	25
2.9	Transit	25
3	Commodity Class Requirements	25
3.1	Fruit and Vegetables	25
3.1.1	Fresh Vegetables	25
3.1.2	Fresh Fruit	25
3.1.3	Dried Fruit and Vegetables	26
3.1.4	Frozen Fruit and Vegetables	26
3.2	Cut Flowers and Foliage	26
3.2.1	Fresh Cut Flowers and Foliage	26
3.2.2	Dried Cut Flowers and Foliage	26
3.3	Nursery Stock	26
3.3.1	Bud wood and Cuttings	26
3.3.2	Bulbs/tubers/corms/rhizomes etc. (for propagation)	26
3.3.3	Whole Plants	26
3.4	Seeds, Grains and Nuts	26
3.4.1	Seeds, Grains and Nuts for Sowing	26
3.4.2	Seeds, Grains and Nuts for Consumption	26
3.4.3	Seeds, Grains and Nuts for Processing	26
3.5	Growing Media and Packing Material	27
4	Commodity Specific Requirements	27
4.1	Fruit and Vegetables	27
4.1.1	Fresh Fruit and Vegetables	27
4.1.2	Dried Fruit and Vegetables	29
4.1.3	Frozen Fruit and Vegetables	29
4.2	Cut Flowers and Foliage	29
4.2.1	Fresh Cut Flowers and Foliage	29
4.2.2	Dried Cut Flowers and Foliage	29
4.3	Nursery Stock	29
4.3.1	Budwood / Cuttings	29
4.3.2	Bulbs / tubers / corms / rhizomes etc.	29

4.3.3	Whole Plants	29
4.3.4	Tissue Culture	29
4.4	Seeds, Grains and Nuts	30
4.4.1	Seeds, Grains and Nuts for Sowing	30
4.4.2	Seeds, Grains and Nuts for Consumption	30
4.4.3	Seeds, Grains and Nuts for Processing	30

1 General Information

1.1 For enquires about this standard email the Plant Exports Group: plantexports@maf.govt.nz

To help Plant Exports process your email please record in the subject line of your email descriptive keywords which are relevant to your enquiry i.e. ICPR enquiry-Country-specific details.

For urgent enquiries phone, fax or email the Plant Exports Group

- Telephone: 0800 008 333 (selecting option 3, then option 4) Fax : 64 4 894 0733; or
- Email: PlantExports

1.2 Scope

This standard specifies Indonesia's phytosanitary requirements. If a commodity or commodity group is not identified within this ICPR exporters should contact:

- Indonesia directly to ascertain requirements

or

- MAF Biosecurity New Zealand (MAFBNZ). (Plant Exports)

Please note, the determination and provision of phytosanitary requirements, for a commodity not identified within an ICPR, is undertaken on a cost recovery basis. A link to the list of Plant Exports Fees and Charges is available on <http://www.biosecurity.govt.nz/regs/exports/plants/fees>

Users of this document are strongly advised to review all sections of the ICPR for the determination of a commodity's phytosanitary requirements.

1.3 Phytosanitary Legislation

The following legislation controls the importation of plants and plant materials into Indonesia:

- Law No. 12 of 1992
- Law No. 16 of 1992
- Decree No. 22 of 1984
- Decree No. 796 of 1984
- Decree No. 797 of 1984
- Decree No. 559 of 1985
- Decree No. 861 of 1989

- Decree No. 38 of 1990
- Decree No. 411 of 1995
- Government Gazette No.6 of 1996
- Decree No. 37 of 2006

2 General Requirements

2.1 Prohibitions

The following plants and plant products are prohibited entry into Indonesia:

Scientific name	Common name	Plant part prohibited
<i>Cocos nucifera</i>	Coconut	All if used as packing material
	Compost	All
<i>Gossypium spp.</i>	Cotton	Seed, waste, seed hulls and all other products where seeds may be present if used as packing material
	All growing media comprising soil and compost excluding sphagnum moss and peat	All
<i>Hevea spp.</i>	Rubber	All if used as packing material
	Manure	All
<i>Musa spp.</i>	Banana	All if used as packing material
<i>Oryza sativa</i>	Rice	All if used as packing material
<i>Saccharum officinarum</i>	Sugarcane	All if used as packing material
	Soil	All
<i>Zea spp.</i>	Maize/corn	All if used as packing material

2.2 Phytosanitary Import Permits

2.2.1 Phytosanitary import permits are required for the importation of the following commodity classes:

- nursery stock
- seeds, grains and nuts for sowing; and
- growing media and packing material

2.2.2 Phytosanitary import permits are not required for the importation of the following commodity classes:

- fruit and vegetables;
- cut flowers and foliage; and

- seeds, grains and nuts for processing and consumption

2.2.3 Phytosanitary import permits do not state the phytosanitary requirements for importation.

Upon receiving a phytosanitary import permit the importer must apply to The Centre for Agricultural Quarantine or a Plant Quarantine Station for a copy of the phytosanitary import requirements. Where a phytosanitary import permit is required the New Zealand exporter should provide a copy of the phytosanitary import requirements to verification/certification staff when requesting certification.

2.2.4 Phytosanitary import permits may be requested from:

Director General
Directorate General of Food Crops & Horticultural Crops
Jalan AUP No. 3
Pasar Minggu
Jakarta Selatan
INDONESIA

Telephone: (0062) 21-780-5269
Facsimile: (0062) 21-780-6309

2.2.5 Import conditions may be requested from either:

Director of CAQ
Centre for Agricultural Quarantine
Jalan Pemuda No. 64
Kav. 16-17
Jakarta 13220
INDONESIA

Telephone: (0062) 21-489-4877
Facsimile: (0062) 21-489-4877
Email: CAQIDNSPS@IBM.NET

or from Plant Quarantine Stations at sea and airports of entry

2.3 Phytosanitary Certificates

2.3.1 Phytosanitary certificates are required for the importation of the following commodity class:

- fruit and vegetables;
- cut flowers and foliage;
- nursery stock; and
- seeds, grains and nuts for processing or sowing; and
- growing media and packing material.

2.3.2 Phytosanitary certificates are not required for the importation of the following commodity classes:

- seeds, grains and nuts for consumption.

2.4 Quarantine Pests

Note: Organisms marked with an asterisk (*) are non actionable when identified upon pipfruit. The organism is actionable for all other commodities

CATEGORY A-1

Scientific Name	Common Name
INSECT/MITE	
<i>Acaphylla steinwadeni</i>	Pink mite
<i>Acaphyllisa indiae</i>	White mite
<i>Acaphyllisa parindiae</i>	Pale mite
<i>Aceria guerreronis</i> syn. <i>Eriphytes guerreronis</i>	Coconut mite
<i>Acraea acerata</i>	Sweet potato butterfly
<i>Agrilus mali</i>	Apple borer
<i>Alcidodes dentipes</i>	Sweet potato weevil
<i>Amblipelta cocophaga</i>	Coccid
<i>Amorphoidea lata</i>	Cotton boll weevil
<i>Anastrepha fraterculus</i>	South American fruit fly
<i>Anastrepha ludens</i>	Mexican fruit fly
<i>Anastrepha mombinpraeoptans</i>	Fruit fly
<i>Anastrepha obliqua</i>	West Indies fruit fly
<i>Anastrepha serpentina</i>	Orange fruit fly
<i>Anastrepha suspensa</i>	Fruit fly
<i>Antestiopsis facetoides</i>	Cherry & flower feeder
<i>Anastrepha intricata</i>	Cherry & flower feeder
<i>Anastrepha orbitalis bechauna</i>	Cherry & flower feeder
<i>Anastrepha orbitalis ghesquierei</i>	Cherry & flower feeder
<i>Antherigona soccata</i>	Sorghum shoot fly
<i>Antherigona grandis</i>	Mexican cotton boll weevil
<i>Antherigona vestitus</i>	Peruvian cotton boll weevil
<i>Aonidomytilus albus</i>	Cassava scale
<i>Apate monochus</i>	Black borer

Scientific Name	Common Name
<i>Augosoma centaurus</i>	Stem tissue borer
<i>Bhothynus gibbosus</i>	Carrot beetle
<i>Brevipalpus californicus</i>	Scarlet mite
<i>Busseola fusca</i>	Maize stalk borer
<i>Carposina niponensis</i>	Peach fruit moth
<i>Carposina sasaki</i>	Peach fruit moth
<i>Cataenococcus theaecola</i>	Root mealy bug
<i>Ceciloide aciculate</i>	
<i>Cephus cinctus</i>	Wheat stem saw fly
<i>Ceratitis capitata</i> syn. <i>Pardalapsis capitata</i>	Mediterranean fruit fly
<i>Ceratitis quinaria</i>	Rhodesian fruit fly
<i>Ceratitis rosa</i>	Natal fruit fly
<i>Chaetanephothrips orchidi</i>	Banana rust thrip
<i>Chilo partellus</i> syn. <i>Chilo zonellus</i>	Spotted stalk borer
<i>Chilo orichalcociliella</i>	Coastal stalk borer
<i>Chrysanophulus aonidum</i>	
<i>Cicadulina lateens</i>	Leaf borer
<i>Cicadulina abila</i>	Leaf borer
<i>Coclaenomenodera alaeidis</i>	Leaf miner
<i>Crioceris asparagi</i>	Asparagus beetle
<i>Crioceris duodecimpunctata</i>	beetle
<i>Cryptophlebia leucotreta</i>	False codling moth
<i>Cydia pomonella</i>	Codling moth
<i>Cylas puncticolis</i>	Sweet potato weevil
<i>Dacus ciliatus</i>	
<i>Dacus depressus</i>	Cherry fruit fly
<i>Dacus jarvisi</i>	Fruit fly
<i>Dacus passiflorae</i>	Fruit fly
<i>Dacus psidii</i>	Fruit fly
<i>Dacus tryoni</i>	Queensland fruit fly
<i>Dacus tsuneosis</i>	Japanese fruit fly
<i>Dacus curvipennis</i>	Banana fruit fly
<i>Diabrotica undecimpunctata</i>	Spotted cucumber beetle
<i>Diapsis thoracica</i>	Stolked eye fly
<i>Diasprepes abbreviatus</i>	Root borer
<i>Diatraea saccharalis</i>	Stem borer
<i>Diocalandra taitens</i>	Coconut weevil
<i>Diparopsis castanea</i>	Red boll worm
<i>Diploxys fallax</i>	Rice shield bug
<i>Distantiella theobromae</i>	Cocoa capsid
<i>Dulinus unicolor</i>	Tigre du caffer
<i>Eldana saccharina</i>	Sugarcane stalk borer
<i>Empoasca devastans</i>	Indian cotton jassid
<i>Empoasca fascialis</i>	Cotton jassid
<i>Empoasca lybica</i>	Cotton jassid
<i>Epilachna fulvosignata</i>	Epilachna beetle
<i>Epilachna hirta</i>	Epilachna beetle
<i>Epilachna similes</i>	Epilachna beetle
<i>Epilachna varivestis</i>	Epilachna beetle
<i>Euscepes postfasciatus</i>	West Indies sweet potato weevil

Scientific Name	Common Name
<i>Eutinobothrus brasiliensis</i>	Western flower thrips
<i>Frankliniella occidentalis</i>	White fringed weevil
<i>Graphognatus</i> spp.	White fringed weevil
<i>Graphognatus leucoloma</i>	Oriental fruit moth
<i>Grapholita molesta</i>	Cherry fruit worm
<i>Grapholita pakard</i>	Apple worm
<i>Grapholita prunivora</i> syn. <i>Grapholita lespeyresia</i>	Wheat strand worm
<i>Harmolita grandis</i>	Wheat joint worm
<i>Harmolita tritica</i>	Cotton boll worm
<i>Heliothis zea</i>	
<i>Helopeltis anacardii</i>	Helopeltis bug
<i>Helopeltis bergrothi</i>	Tea mosquito bug
<i>Helopeltis schoutedeni</i>	Thrip
<i>Hercinothrips bicinctus</i>	Black maize beetle
<i>Heteronychus consimilis</i>	Black maize beetle
<i>Heteronychus licas</i>	Groundnut hopper
<i>Hilda patruelis</i>	Edible grasshopper
<i>Homorocoryphus nitidulus vicinus</i>	Cotton plant bug
<i>Horcias nobilellus</i>	Onion maggot
<i>Hylemya antiqua</i>	Barley fly
<i>Hylemya arambourgi</i>	Corn maggot
<i>Hylemya cilicruca</i>	Cottony cushion scale
<i>Icerya purchasi</i>	Small brown plant hopper
<i>Laodelphax striatella</i>	Stem borer and bunch stalk
<i>Lapacumides dedalus</i>	Colorado potato beetle
<i>Leptinotarsa decemlineata</i>	Lace bug
<i>Leptopharsae heveae</i>	White coffee leaf miner
<i>Leucoptera coffeela</i>	Coffee leaf miner
<i>Leucoptera coffeina</i>	Coffee leaf miner
<i>Leucoptera coma</i>	Coffee leaf miner
<i>Leucoptera merigi</i>	Carrot weevil
<i>Listronotus oregonensis</i>	Vine moth
<i>Lobesia botrana</i>	Pollu beetle
<i>Longitarsus nigripennis</i>	Potato aphid
<i>Macrosiphum euphorbiae</i>	Maize tassel beetle
<i>Megalognatha rufibentris</i>	Asparagus miner
<i>Melanogromyza simplex</i> syn. <i>Ophiomyia simplex</i>	Stem borer
<i>Melittoma insulare</i>	Mite
<i>Mononychellus tanajoa</i>	
<i>Myopardalis pardalina</i>	Rice army worm
<i>Mythimna unipuncta</i>	Shiny cereal weevil
<i>Nematocera</i> spp.	Mite
<i>Oligonychus yothersi</i>	Rhinoceros beetle
<i>Oryctes boas</i>	Rhinoceros beetle
<i>Oryctes elegans</i>	Rhinoceros beetle
<i>Oryctes monoceros</i>	European corn borer
<i>Ostrinia nubilalis</i> syn. <i>Pyrausta nubilalis</i>	Rice leaf beetle
<i>Oulema oryzae</i> syn. <i>Lema oryzae</i>	Seed borer
<i>Pachymerus lacerdae</i>	Coconut borer
<i>Pachymerus nucleorum</i>	

Scientific Name

Panonychus citri
Pachymerus ulmi
Pieris rapae
Pimelephila ghesquierei
Planococcus kenyae
Popilia japonica
Prostephanus truncatus
Pseudotheraptus wayi
Psila roses
Quadraspidotus perniciosus
Raviella indica
Recidia mica
Retracus elaedis
Rhagoletis cerasi
Rhagoletis cingulata
Rhagoletis pomonella
Rhizoglyphus echinopus
Rhynchophorus palmarum
Rhynchophorus phoenicis
Rioxa pornia
Sacadodes pyralis
Saccharosydne saccharivora
Sahlbergella singularis
Schizonycha spp
Sesamia calamistis syn. *Sesamia vuteria*
Sesamia cretica Ledener
Sitophilus granarius
Sogatodes cubanus
Sogatodes oryzicola
Sophronica ventralis
Steneotarsenemus laticeps
Stenoma decora
Synanthedon dasyceles
Tetranychus kanzawai
Trichispa sericea
Toxotrypana curvicauda
Xyleborus ferrugineus
Zonocerus elegans
Zonocerus variegatus
Zygogramma exclamationis

SNAIL

Achatina craveri
Achatina zanzibarica
Ariolimax columbianus
Arion circumscriptus
Arion intermedius
Arion rufus
Arion subfuscus
Ceciloides aciculata

Common Name

Citrus red mite
 European red mite
 Imported cabbage worm
 Pyralide
 Mealy bug
 Japanese beetle
 Grain borer
 Coccid bug
 Carrot rust fly
 San Jose scale
 Coconut mite
 Cicadelids
 Oil palm mite
 European fruit fly
 Cherry fruit fly
 Apple maggot fly
 Bulb Mite
 Boring weevil
 Boring weevil
 Islandian fruit fly
 False pink boll worm
 Sugarcane plant hopper
 Cocoa capsid
 Chafer grub
 Southern pink stalk borer
 Stalk borer
 Maize weevil
 Plant hopper
 Plant hopper
 Berry borer
 Bulb scale mite
 Shoot and pod borer
 Sweet potato clear wing
 Kanzawai spider mite

 Fruit fly
 Bark beetle
 Elegant grasshopper
 Elegant grasshopper
 Sunflower beetle

 European slug
 Hedgehog snail
 Large red slug

Scientific Name

Deroceras agreate
Discus rotundus
Drymaeus dormani
Geomalacus maculosus
Helicarian salius
Helix aspersa
Helix pomatia
Helix rufescens
Lanistes ovum
Lehmania valentiana
Limax maximus
Limax cinereoniger
Linicolaris kambeul
Marisa cornuarieties
Milax budapestensis
Milax gagates
Milax sowerbyi
Ottala lactea
Oxychilus cellarius
Oxychilus draparnaudi
Pila globosa
Pila polita
Pomacea lineata
Strophocheilus oblongus
Theba pisana
Vaginulus bedleyi

Common Name

Field slug
Rounded snail
Citrus tree snail

Brown garden snail
Roman snail

Iberian slug, Canadian slug

Keeled slug, subterranean slug
Greenhouse slug

Cellar snail

White garden snail

NEMATODE

Anguina tritici Seed gall nematode
Aphelenchoides arachidis Groundnut testa nematode
Aphelenchoides fragariae Strawberry crimp nematode
Aphelenchoides ritzemabosi Bud and leaf nematode
Ditylenchus destructor Potato rot nematode
Ditylenchus myceliophagus Mushroom nematode
Globodera pallida White cyst nematode
Globodera rostochiensis Golden cyst nematode
Globodera tabacum Tobacco cyst nematode
Heterodera avenae Oat cyst nematode
Heterodera cacti Cactus cyst nematode
Heterodera carotae Carrot cyst nematode
Heterodera cruciferae Crucifer cyst nematode
Heterodera fici Fig cyst nematode
Heterodera goettingiana Pea cyst nematode
Heterodera oryzicola Rice cyst nematode
Heterodera sacchari Sugarcane cyst nematode
Heterodera trifolii Clover cyst nematode
Heterodera vigni Pea cyst nematode
Heterodera zeae Corn cyst nematode
Hirschmaniella spinicauda Rice nematode
Longidorus elongatus Needle nematode

Scientific Name

Gaemannomyces graminis var. *graminis*
Guignardia bidwellii
Helicobasidium brebissonii
Helicobasidium purpureum
Helminthosporium solani
Hemileia coffeicola
Lepothyrium theae
Marasmiellus cocophilus
Microcyclus ulei
Moniliophthora roreri
Monilochaetes infustans
Mycena citricolor syn. *Omphalia flavida*
Mycosphaerella aleuritides
Mycosphaerella fijiensis var. *difformis*
Oospora pustulans
Peronosclerospora sacchari
Peronosclerospora sorghi
Peronospora manshurica
Peronospora pisi
Peronospora tabacina
Phaeolus manihotis
Phoma andina
*Phomopsis perseae**
*Phomopsis theae**
Phomopsis vexans
Phyllosticta solitaria
Phymatotricum omnivorum
Phytophthora capsici
Phytophthora citrophthora
Phytophthora fragaria
Phytophthora megakarya
Phytophthora megaspermae var. *sorjiae*
Phytophthora phaseoli
Plenodomus
Puccinia asparagi
Puccinia graminis f.sp. *tritici*
Puccinia pittieriana
Puccinia stackmanii
Pyrenochaeta terretris
Pythium myriotylum
Rhizoctonia solani syn. *Thanateporus cucumeris*
Rosellinia necratic
Sclerospora graminicola
Septoria lycopersici var. *mallagutii*
Septoria nodorum
Septoria pisi
Sphaceloma arachidis
Sphaceloma manihoticola
Sphacelotheca cruenta
Sphacelotheca reiliana

Common Name

Brown sheath rot
 Black rot
 Sweet potato violet root rot
 Root rot
 Silver scurf
 Grey rust
 Dieback
 Lethal bone
 South American Leaf Blight
 Moniliophthora pod rot
 Scurf; soil stain
 American leaf spot
 Angular leaf spot
 Black sigatoka
 Skin spot
 Sugarcane downy mildew
 Downy mildew
 Downy mildew
 Downy mildew
 Blue mould
 Root rot
 Black potato blight
 Fruit rot
 Stem cancer
 Phomopsis blight
 Apple blotch
 Texas root rot
 Phytophthora pod rot
 Phytophthora pod rot
 Red stele disease
 Phytophthora pod rot
 Phytophthora pod rot
 Downy mildew
 Foot rot
 Rust
 Black rust; stem rust
 Common rust
 Rust
 Pink rot
 Pythium disease wilt
 Target leaf spot
 White root rot; Grey rust
 Graminicola downy mildew
 Septoria potato leaf spot
 Gum blotch
 Downy mildew
 Scab
 Super elongation
 Loose smut
 Heat smut

Scientific Name

Spongospora subterranea
Synchytrium endobioticum
Tilletia caries
Tilletia foetida
Trachysphaera fructigena
Uncinula necator
Urocystis agropyri
Urocystis cepulae
Urocystis colchici
Ustilago tritici
Verticillium dahliae

Common Name

Slimy rot
 Black wart
 Common bunt
 Smooth spored bunt
 Trachysphaera pod rot
 Powdery mildew
 Flag smut
 Onion smut
 Onion smut
 Loose smut
 Verticillium wilt

BACTERIA

Clavibacter michiganensis subsp. *Michiganensis*
Corynebacterium flaccumfaciens
Corynebacterium michiganense pv. *michiganense*
Corynebacterium nebraskense
Corynebacterium sepedonicum
Corynebacterium tritici
Erwinia amylovora
Erwinia ananas
Erwinia aroidea
Erwinia atroseptica
Erwinia carotovora subsp. *atroseptica*
Erwinia herbicola
Erwinia stewartii
Erwinia tracheiphila
Erwinia vitivora
Pseudomonas andropogonis
Pseudomonas campestris var. *theicola*
Pseudomonas garceae
Pseudomonas maculicola
Pseudomonas panici
Pseudomonas rubrisubalbicans
Pseudomonas solanacearum (race 2)
Pseudomonas syringae pv. *syringae*
Pseudomonas syringae pv. *tabaci*
Pseudomonas theae
Rhodococcus fascians
Streptomyces ipomoeae syn. *Actinomyces ipomoeae*
Xanthomonas ampelina
Xanthomonas campestris var. *armoraceae*

Bacterial cancer
 Bacterial wilt
 Cancer bacteria
 Leaf freckle, blight wilt
 Bacterial ring
 Spike blight
 Fire blight
 Marbling bacteria
 Slimy rot
 Black leg
 blackleg
 Pink disease
 Erwinia wilt
 Bacterial wilt
 Bacterial blight
 Bacterial leaf stripe
 Bacterial leaf spot
 Bacterial leaf spot

 Bacterial streak
 Mottled stripe, pink rot
 Moko disease
 Bacterial canker or blast

 Bacterial leaf spot
 Witches broom syndrome

 Soil rot
 Bacterial blight
 Bacterial leaf

VIRUS AND VIRUS-LIKE DISEASE

Abaca mosaic virus
Alfalfa mosaic virus
American cassava mosaic virus
Andean potato latent virus
Andean potato mottle virus

Scientific Name	Common Name
<i>Andean potato calico strain (TRSV-Ca)</i>	
<i>Apple mosaic virus</i>	
<i>Apple ring spot virus</i>	Ring spot
<i>Apple rosette virus</i>	Rosette
<i>Apple stem grooving virus</i>	Stem grooving
<i>Arracacha virus B oca strain (AVB-O)</i>	
<i>Artichoke italian latent virus</i>	
<i>Asparagus latent virus</i>	
<i>Asparagus stunt virus</i>	Stunt
<i>Avocado sun blotch Virus</i>	Sun Blotch
<i>Barley stripe mosaic virus</i>	Stripe Mosaic
<i>Bean pod mottle virus</i>	Pod Mottle
<i>Beet curly top virus</i>	Curly Top
<i>Beet leaf curl virus</i>	Leaf curl
<i>Brinjal mosaic virus</i>	Mosaic
<i>Cabbage black ringspot virus</i>	Ringspot
<i>Cacao mosaic virus</i>	Mosaic
<i>Cacao necrosis virus</i>	
<i>Cacao swollen shoot virus</i>	Swollen shoot
<i>Cacao yellow mosaic virus</i>	Yellow mosaic
<i>Cacao vein clearing virus</i>	Vein clearing
<i>Cassava brown streak virus</i>	Brown streak
<i>Cassava latent virus</i>	
<i>Citrus leaf rugose virus</i>	Leaf rugose
<i>Coffee blister spot virus</i>	Blister spot
<i>Cotton leaf curl virus</i>	Leaf curl
<i>Cowpea chlorotic mottle virus</i>	Chlorotic mottle
<i>Cucumber green mottle mosaic virus</i>	Mottle mosaic
<i>Dwarf virus</i>	Dwarf
<i>Fan leaf virus</i>	Fan Leaf
<i>Feathery mottle virus</i>	
<i>Flat Limb virus</i>	Flat limb
<i>Grapevine bulgarian latent virus</i>	
<i>Grapevine chrome mosaic virus syn. Hungarian chrome mosaic virus</i>	Chrome mosaic
<i>Grapevine corky bark virus</i>	Corky bark
<i>Grassy shoot virus</i>	Yellowing, albino disease
<i>Green crinkle virus</i>	Green crinkle
<i>Hoja blanca virus</i>	White leaf
<i>Internal cork virus</i>	
<i>Leaf crumple virus</i>	Leaf crumple
<i>Leaf mosaic virus</i>	
<i>Leaf mottle virus</i>	
<i>Leaf pucker virus</i>	Leaf pucker
<i>Leaf roll virus</i>	Leaf roll
<i>Maize dwarf mosaic virus</i>	Dwarf mosaic
<i>Maize chlorotic dwarf virus</i>	Chlorotic dwarf
<i>Maize chlorotic mottle virus</i>	Chlorotic mottle
<i>Maize mosaic virus</i>	Mosaic; enanismo rayado
<i>Maize rough dwarf virus</i>	Rough dwarf; enanismo ruvido

Scientific Name	Common Name
<i>Maize streak virus</i>	Streak
<i>Maize stripe virus</i>	Stripe
<i>Marginal chlorotic virus</i>	Chlorotic
<i>Mosaic virus</i>	Mosaic
<i>Papaya leaf reduction virus</i>	Leaf reduction
<i>Papaya yellow necrotic virus</i>	Yellow necrotic
<i>Pea enation mosaic virus syn. Pea virus 1</i>	Enation mosaic
<i>Pea streak virus</i>	Streak
<i>Peach rosette mosaic virus</i>	Rosette mosaic
<i>Peanut clump virus</i>	
<i>Peanut stunt virus</i>	
<i>Peanut yellow mottle virus</i>	Yellow mottle
<i>Phloem necrotic virus</i>	Phloem necrosis
<i>Platycarpa dwarf virus</i>	Dwarf
<i>Platycarpa scaly bark virus</i>	Scaly bark
<i>Potato virus T</i>	
<i>Potato virus U</i>	
<i>Potato spindle tuber virus</i>	
<i>Potato vein yellowing virus</i>	Vein yellowing
<i>Raspberry ring spot virus</i>	Ring spot
<i>Rice dwarf stunt virus</i>	Dwarf stunt
<i>Rice yellow mottle virus</i>	Yellow mottle
<i>Ring spot virus</i>	Ring spot
<i>Rough skin virus</i>	Rough skin
<i>Russet crack virus</i>	
<i>Satsuma dwarf orange virus</i>	
<i>Soybean dwarf virus</i>	
<i>Squash mosaic virus</i>	
<i>Stem pitting virus</i>	Stem pitting; legnoriccio
<i>Stripe virus</i>	Stripe
<i>Strawberry latent C virus</i>	
<i>Strawberry latent ringspot virus</i>	Ringspot
<i>Tobacco streak Ilarvirus</i>	Nicotiana virus vulnerans
<i>Tomato aspermy cucumovirus</i>	Chrysanthemum aspermy virus
<i>Tomato spotted wilt virus</i>	Wilt
<i>Turnip mosaic potyvirus (TuMV)</i>	Anenome mosaic virus
<i>Transitory yellowing virus</i>	Yellowing; Maclusano
Virus	Amachiento; shoot Proliferation
Virus	Maize line disease
Virus	Rayadofino, fine striping disease
Virus	Terminal stunt
Virus	Stenoses, small leaf, crystosis
Virus	Wrinkled, stunt, wiches broom
Virus Like Disease	Enation
Virus Like Disease	Fleck
Virus Like Disease	Gummy bark
Virus Like Disease	Impietra sierra
Virus Like Disease	Rumple
Virus Like Disease	Vein necrosis

Scientific Name**Common Name****MLO, BLO, PROTOZOA**

MLO	Apple chart fruits
MLO	Apple proliferation
MLO	Cadang-cadang
MLO	Cape St. Paul disease
MLO	Cape three point disease
MLO	Grapevine flaverense Doree
MLO	Kaincope
MLO	Kribi
MLO	Leaf mottle
MLO	Lethal yellowing
MLO	Marbling disease
MLO	White tip
MLO	Pierces disease
<i>Spiroplasma</i> spp.	Corn stunt
<i>Spiroplasma citri</i>	Stubborn
<i>Phytopomonas leptovasarum</i>	Phloem necrosis
<i>Phytopomonas staheli</i> sp.n.	Sudden wither disease

WEEDS

<i>Abutilon theophrasti</i>	Velvet leaf
<i>Aeginotia indica</i>	
<i>Agropyron repens</i>	Quack grass
<i>Ambrosia artemisiifolia</i>	Common rag weed
<i>Ambrosia integrifolia</i> syn. <i>Ambrosia trifida</i>	Giant rag weed
<i>Ambrosia psilostachya</i>	Western rag weed
<i>Ambrosia tenuifolia</i>	False rag weed
<i>Anagallis arvensis</i>	Red chick weed
<i>Boerhavia erecta</i>	Erect spiderling
<i>Borreria laevicaulia</i>	
<i>Cenchrus echinatus</i>	Burgrass
<i>Chenopodium album</i>	
<i>Cirsium arvense</i>	Canada thistle
<i>Cryptocorine ciliata</i>	
<i>Digitaria scalarum</i>	Cough grass / Blue cough
<i>Egeria densa</i>	Brazilian Elodea
<i>Eichornia azurea</i>	Anchored water-hyacinth
<i>Eichornia natans</i>	
<i>Elodea canadensis</i>	Common Elodea
<i>Elodea nuttallii</i>	Western Elodea
<i>Hypericum perforatum</i>	St. John wart
<i>Limnobium boscii</i> syn. <i>Limnobium spongia</i>	American frog bit
<i>Lolium</i> spp.	Darnel
<i>Myriophyllum alterniflorum</i>	
<i>Myriophyllum verticillatum</i>	Water mill foil /Whorled
<i>Nelumbo pentaphylla</i> syn. <i>Nelumbo lutea</i>	American lotus
<i>Orobancha aegyptiaca</i>	Broomrape weed
<i>Orobancha cernua</i>	Nodding broomrape
<i>Orobancha crenata</i>	Crenate broomrape

Scientific Name	Common Name
<i>Orobanche minor</i>	Small broomrape
<i>Orobanche ramosa</i> syn. <i>Pholipaca ramosa</i> syn.	Hemp broomrape
<i>Kopsia ramosa</i>	
<i>Oryza barthi</i>	
<i>Oryza longistaminata</i>	
<i>Oryza punctata</i>	
<i>Parthenium hysterophorus</i>	Ragweed
<i>Plantago lanceolata</i>	Buckhorn plantain
<i>Potamegeton crispus</i>	Pondweed
<i>Potamegeton pectinatus</i>	Sago pondweed
<i>Rumex crispus</i>	Curly dock
<i>Solanum nodiflorum</i>	
<i>Striga densiflora</i>	Witch weed
<i>Striga gesnerioides</i>	Cowpea witch weed
<i>Striga hermonthica</i> syn. <i>Striga orobanchoides</i>	Witch weed
<i>Thlaspi arvense</i>	Field penny cress
<i>Tribulus terrestris</i>	Puncture vine
<i>Trichachne insularis</i> syn. <i>Digitaria insularis</i>	Sour grass
<i>Typha latifolia</i>	Common cattail
<i>Vallisneria americana</i>	American eel grass

Unknown Disease

Asteriod mosaic
 Awka
 Bristle tip
 Bronze leaf
 Cocount wilt
 Fatal yellowing
 Head droop
 Kerala wilt
 Leaf mottle
 Leaf scorch
 Little leaf
 Malaysian wilt
 Soccoro wilt
 Stem pitting
 Sudden death
 Thanjavur wilt
 Thatipata disease
 Tinangaja wilt

CATEGORY A-2

Scientific Name	Common Name
INSECT/MITE	
<i>Altha alastor</i>	Slug caterpillar
<i>Conopomorpha</i> syn. <i>Acrocercops cramerella</i>	Cacao pod borer
<i>Contarinia sorghicola</i>	Sorghum midge

Scientific Name	Common Name
<i>Dactylispa balyi</i>	Black hedgehog beetle
<i>Dacus bryoniae</i>	Fruit fly
<i>Dacus musae</i>	Fruit fly
<i>Dacus neohumeralis</i>	Fruit fly
<i>Darna bradleyi</i>	Slug caterpillar
<i>Dihammus fistulator</i>	Stem borer
<i>Epicauta ruticeps</i>	Beetle (leaf feeder)
<i>Etiella hebsini</i>	Pod borer
<i>Hexamitodera semivelutina</i>	Trunk borer
<i>Idiocerus clypealis</i>	Mango leaf hopper
<i>Idiocarpus niveosparsus</i>	Mango leaf hopper
<i>Noorda albizonalis</i>	Red banded borer of mango
<i>Oribius spec.aff. improvidis</i>	Snout beetle
<i>Parasa balitkae</i>	Slug caterpillar
<i>Pectinophora gossypiella</i>	Pink cotton; Boll-worm
<i>Phragmataecia castanea</i>	Giant stem borer
<i>Phragmataecia gummata</i> syn. <i>Phragmataecia parvipuncta</i>	Giant stem borer
<i>Planococcus</i> syn. <i>Pseudococcus deceptor</i>	Root scale
<i>Rhytidodera simulans</i>	Trunk borer
<i>Sexava coriacea</i>	
<i>Sexava karnyi</i>	
<i>Sexava nubila</i>	
<i>Tenuipalpus orchidarum</i>	Red mite
<i>Trogoderma granarium</i>	Khapra beetle
NEMATODE	
<i>Aphelenchoides besseyi</i>	White tip
<i>Ditylenchus angustus</i>	Root
<i>Ditylenchus dipsaci</i>	Eel worm
<i>Hirschmaniella oryzae</i>	Root nematode
<i>Pratylenchus coffeae</i>	Root necrotic nematode
<i>Rhadopolus</i> spp.	Citrus nematode
<i>Tylenchulus semipenetrans</i>	Citrus nematode
FUNGI	
<i>Botrytis alii</i>	Neck rot
<i>Coryneum myristicaceae</i>	Dry rot of fruit
<i>Elsinoe iwatae</i>	Scab
<i>Ephelis oryzae</i>	
<i>Fusarium oxysporum</i> f.sp. <i>passiflora</i>	Fusarium wilt
<i>Marssonina coronaria</i>	Leaf spot
<i>Oncobasidium theobromae</i>	Vascular streak dieback (VSD)
<i>Peronosclerospora philippinensis</i>	Downy mildew
<i>Peronospora cubensis</i>	Powdery mildew
<i>Phakospora vitis</i> syn. <i>Physopella ampelopsidis</i>	Rust
<i>Phoma lingam</i>	Black leg
<i>Phyllosticta euginea</i>	Leaf blight
<i>Phytophthora capsici</i>	Foot rot
<i>Plasmodiophora brassicae</i>	Club rot

Scientific Name	Common Name
<i>Plasmopara viticola</i>	Powdery mildew
<i>Stagnospora sacchari</i>	Smut

BACTERIA

<i>Erwinia chrysanthemi</i>	Bacterial foot rot
<i>Pseudomonas solanacearum</i> pv. <i>celebensis</i>	Blood disease
<i>Pseudomonas syringae</i>	Halo blight
<i>Pseudomonas syzygie</i>	Xylem bacterial disease
<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i>	Leaf spot
<i>Xanthomonas vasculorum</i>	Gumming disease

BLO

Citrus vein phloem degeneration (CVPD)

VIRUS

<i>Bunchy-top virus</i>	Stunting
<i>Onion yellow dwarf virus</i>	Yellow stunting
<i>Potato virus Y (PVY)</i>	

DISEASE OF UNKNOWN ETIOLOGY

Megass disease
 Leaf yellowing
 Leaf defoliation wilt
 Natuna wilt

2.5 Maximum Pest Limits (MPLs)

For all commodities exported to Indonesia requiring phytosanitary certificates, MPL's are:

Quarantine pests* specified by Indonesia	0.5%
Soil	25g/600unit

*Quarantine pests for Indonesia include organisms identified within:

- Quarantine pests of this standard
- Additional declarations
- Phytosanitary import permit

2.6 Inspection on Arrival

All consignments of imported plant material are subject to inspection for phytosanitary purposes by Indonesian Agricultural Quarantine authorities on arrival.

2.7 Ports of Entry

All nursery stock and seed (grains/nuts) for sowing and fresh fruit and vegetables are restricted to entry via the following specified ports of entry.

Points of entry for planting materials subject to post entry quarantine:

Seaport	Region
Belawan	North Sumatra
Boom Baru	South Sumatra
Tanjung Priok	Jakarta
Tajung Perak	East Java
Makassar	South Sulawesi

Airport	Region
Djuanda	East Java
Hasanuddin	South Sulawesi
Polonia	North Sumatra
Soekarno Hatta	Jakarta
Sultan Mahmud Badaruddin II	South Sumatra

Post Office	Region
Jakarta	
Medan	North Sumatra
Palembang	South Sumatra
Surabaya	East Java
Ujung	Padang, South Sulawesi

Points of entry of other planting material and fresh fruit and vegetables not subject to post entry quarantine:

Seaport	Region
Ambon	Maluku
Balikpapan	East Kalimantan
Banjarmasin	South Kalimantan
Batu Ampar (fresh fruit and vegetables)	Batam Island
Belawan ((fresh fruit and vegetables)	North Sumatra
Benoa	Bali
Biak	Irian Jaya
Cilacap	Central Java
Cirebon	West Java
Jambi	Sumatra
Jayapura	Irian Jaya
Krueng Raya/Malahayati	Aceh, Sumatra
Makassar (fresh fruit and vegetables)	South Sulawesi
Mando/Bitung	North Sulawesi
Pangkal Pinang	Bangka Island
Panjang	Lampung, Sumatra
Pekanbaru	Riau, Sumatra
Pontianak	West Kalimantan
Samarinda	East Kalimantan
Sekupang	Batam Island
Semarang	Central Java
Sorong	Irian Jaya
Tajung Perak (fresh fruit and vegetables)	East Java, Surabaya
Tanau	Timor Island

Tanjung Pandan	Belitung Island
Tanjung Pinang	Riau, Sumatra
Tanjung Priok (fresh fruit and vegetables)	Jakarta
Tarakan	East Kalimantan
Teluk Bayur	West Sumatra
Timika (fresh fruit and vegetables)	Papua

Airport	Region
Ambon	Maluku
Balikpapan	East Kalimantan
Banjarmasin	South Kalimantan
Biak	Irian Jaya
Branti	Lampung, Sumatra
El Tari	Kupang, Timor
Hang Nadim	Batam Island
Ngurah Rai (fresh fruit and vegetables)	Bali
Sam Ratulangi	North Sulawesi
Sentani	Irian Jaya
Simpang Tiga	Riau, Sumatra
Soekarno Hatta (fresh fruit and vegetables)	Jakarta
Sultan Taha	Jambi, Sumatra
Supadia	Pontianak, Kalimantan
Tabing	West Sumatra
Tanjung Pinang	Riau, Sumatra
Tarakan	East Kalimantan

Note: only 7 sea or air ports are allowed to be the ports of entry for fresh fruit and vegetables.

2.8 Sampling Rate

Not specified

2.9 Transit

Not specified

3 Commodity Class Requirements

3.1 Fruit and Vegetables

3.1.1 Fresh Vegetables

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

3.1.2 Fresh Fruit

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

3.1.3 Dried Fruit and Vegetables

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

3.1.4 Frozen Fruit and Vegetables

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

3.2 Cut Flowers and Foliage

3.2.1 Fresh Cut Flowers and Foliage

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

3.2.2 Dried Cut Flowers and Foliage

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

3.3 Nursery Stock

3.3.1 Bud wood and Cuttings

Conditions:

Phytosanitary import permit and phytosanitary certificate required.

3.3.2 Bulbs/tubers/corms/rhizomes etc. (for propagation)

Conditions:

Phytosanitary import permit and phytosanitary certificate required.

3.3.3 Whole Plants

Conditions:

Phytosanitary import permit and phytosanitary certificate required.

3.4 Seeds, Grains and Nuts

3.4.1 Seeds, Grains and Nuts for Sowing

Conditions:

Phytosanitary import permit and phytosanitary certificate required.

3.4.2 Seeds, Grains and Nuts for Consumption

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

3.4.3 Seeds, Grains and Nuts for Processing

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

3.5 Growing Media and Packing Material

Conditions:

Phytosanitary import permit and phytosanitary certificate required.

Wood packaging

Conditions:

- must enter through the designated port of entry;
- be presented to quarantine inspectors for inspection;
- be free from plant quarantine pests;
- be debarked and soil free and
- has been treated and marked according to ISPM 15 standard.

4 Commodity Specific Requirements

4.1 Fruit and Vegetables

4.1.1 Fresh Fruit and Vegetables

Refer Section 3.1.1

Actinidia chinensis

Golden Kiwifruit

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate with additional declaration required.

Additional declaration:

"New Zealand is free from fruit fly"

Actinidia deliciosa

Green Kiwifruit

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate with additional declaration required.

Additional declaration:

"New Zealand is free from fruit fly"

Allium cepa

Onion

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate with additional declarations required. A supplementary letter to the phytosanitary certificate will be issued to the exporter by the certificate verifying IVA.

Additional declarations:

"The product in this consignment has been inspected and found free from fresh leaves, fresh roots and soil."

and

“Onions in this consignment have been grown in a production site free of onion smut (*Urocystis cepulae*).”

Note: Additional declaration regarding the onion smut production site freedom applies to all consignments due to arrive in Indonesia on or after 1 January 2010. The phytosanitary importing conditions for other *Allium* species (e.g. garlic, shallots) have not been determined as at of the end of 2009.

Daucus carota

Carrot

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

Diospyros kaki

Persimmon

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate with additional declaration required.

Additional declaration:

"New Zealand is free from fruit fly"

Lycopersicon esculentum

Tomato

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

Malus spp.

Apple

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate with additional declaration required. Only permitted through specific ports for fresh fruit and vegetables including Timika and Belawan.

Additional declaration:

"New Zealand is free from fruit fly"

Or (for Belawan)

“The fruit was produced and packed in area which is free from *Anstrepha fraterculus* (Wied), *A. ludens* (Loew), *A. serpentine* (Wied), *A. suspensa* (Loew), *Bactrocera jarvisi* (Tryon), *B. tryoni* (Frog), *Ceratitis capitata* (Wied), *C. rosa* (Karsch), *Rhagoletis cerasi* I, *R. cingulata* I, *R. fausta* (Osten Sacken), *R. pomonella* (Walsh), *Rioxa pornia* (Welder).

Persea americana

Avocado

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate with additional declaration required.

Additional declaration:

"New Zealand is free from fruit fly"

Prunus avium

Cherry

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate with additional declaration required.

Additional declaration:

"New Zealand is free from fruit fly"

Solanum tuberosum

Potato

Conditions:

Phytosanitary import permit not required. Phytosanitary certificate required.

4.1.2 Dried Fruit and Vegetables

Refer Section 3.1.2

4.1.3 Frozen Fruit and Vegetables

Refer Section 3.1.3

4.2 Cut Flowers and Foliage

4.2.1 Fresh Cut Flowers and Foliage

Refer Section 3.2

4.2.2 Dried Cut Flowers and Foliage

Refer Section 3.2

4.3 Nursery Stock

4.3.1 Budwood / Cuttings

Refer Section 3.3.1

4.3.2 Bulbs / tubers / corms / rhizomes etc.

Refer Section 3.3.2

4.3.3 Whole Plants

Refer Section 3.3.3

4.3.4 Tissue Culture

Refer Section 3.3.4

4.4 Seeds, Grains and Nuts

4.4.1 Seeds, Grains and Nuts for Sowing

Refer Section 3.4.1

4.4.2 Seeds, Grains and Nuts for Consumption

Refer Section 3.4.2

4.4.3 Seeds, Grains and Nuts for Processing

Refer Section 3.4.3