

Commodity Pest List for USA pre-cleared pipfruit

| Category | Order / Group | Family | Scientific Name - Genus species | Common Name | USA Determination |
|------------|---------------------------|--------------------|---|--|------------------------------|
| Bacteria | Pseudomonadales | Pseudomonadaceae | <i>Pseudomonas syringae</i> pv. <i>syringae</i> (syn. <i>P. syringae</i> pv. <i>Japonica</i>) | bacterial blast; bacterial canker; blast; blister spot; citrus blast | NO ACTION |
| Centipedes | Chilopoda | Lithobiidae | <i>Lithobius forficatus</i> | garden centipede | NO ACTION |
| Fungi | Ascomycetes | - | <i>Dendryphiella vinoso</i> | - | NO ACTION |
| Fungi | Ascomycetes | Botryosphaeriaceae | <i>Botryosphaeria obtusa</i> | black rot | NO ACTION |
| Fungi | Ascomycetes | Botryosphaeriaceae | <i>Botryosphaeria</i> spp. | fruit rot | ACTION (if only ID to Genus) |
| Fungi | Ascomycetes | Dematiaceae | <i>Diplodcarpon mespili</i> | fabraea leaf spot; fabraea spot; fruit spot | NO ACTION |
| Fungi | Ascomycetes | Dematiaceae | <i>Pezicula malicorticis</i> | gleoesporium rot; ripe spot | NO ACTION |
| Fungi | Ascomycetes | Elsinoaceae | <i>Elsinoe pyri</i> (anamorph <i>Sphaceloma pyrinum</i>) | anthracnose; scab | NO ACTION |
| Fungi | Ascomycetes | Erysiphaceae | <i>Sphaerotheca pannosa</i> | powdery mildew | NO ACTION |
| Fungi | Ascomycetes | Glomerellaceae | <i>Glomerella cingulata</i> (syn. <i>G. rufomaculans</i> , <i>Gnomoniopsis cingulata</i>) (anamorph <i>Colletotrichum coffeatum</i> , <i>Colletotrichum gloeosporioides</i> , <i>Gloeosporium limetticola</i> , <i>Septoria rufomaculans</i> , <i>Sporidesmium griseum</i> , <i>Vermicularia gloeosporioides</i>) | anthracnose; bitter rot | NO ACTION |
| Fungi | Ascomycetes | Hypocreaceae | <i>Nectria galligena</i> | cylindrocarpon fruit rot; European canker; eye rot | NO ACTION |
| Fungi | Ascomycetes | Hypocreaceae | <i>Nectria ochroleuca</i> | mould | NO ACTION |
| Fungi | Ascomycetes | Sclerotiniaceae | <i>Monilinia fructicola</i> | brown rot | NO ACTION |
| Fungi | Ascomycetes | Sclerotiniaceae | <i>Monilinia laxa</i> | brown rot | NO ACTION |
| Fungi | Ascomycetes | Sphaeriaceae | <i>Mycosphaerella pomi</i> (syn. <i>Sphaerella pomi</i>) (anamorph <i>Cylindrosporium pomi</i>) | Brooks fruit spot | NO ACTION |
| Fungi | Ascomycetes | Valsaceae | <i>Valsa leucostoma</i> | valsa canker | NO ACTION |
| Fungi | Ascomycetes | Venturiaceae | <i>Venturia inaequalis</i> | apple scab; black spot | NO ACTION |
| Fungi | Ascomycetes / Dothideales | Botryosphaeriaceae | <i>Botryosphaeria dothidea</i> (syn. <i>B. berengeriana</i> , <i>Sphaeria dothidea</i>) (anamorph <i>Fusicoccum aesculi</i> , <i>Macrophoma flaccida</i> , <i>Macrophoma reniformis</i> , <i>Phoma flaccida</i> , <i>Phoma reniformis</i>) | black rot; dothiorella rot; ripe spot; white rot | NO ACTION |
| Fungi | Ascomycetes / Dothideales | Botryosphaeriaceae | <i>Botryosphaeria parva</i> (anamorph <i>Fusicoccum parvum</i>) | fruit rot; ripe spot | NO ACTION |
| Fungi | Ascomycetes / Helotiales | Sclerotiniaceae | <i>Botryotinia fuckeliana</i> (syn. <i>Peziza fuckeliana</i> , <i>Sclerotinia fuckeliana</i>) (anamorph <i>Botrytis cinerea</i> , <i>Sclerotium durum</i>) | dry eye rot; ghost spot; grey mould | NO ACTION |
| Fungi | Ascomycetes / Helotiales | Sclerotiniaceae | <i>Botryotinia fuckeliana</i> (syn. <i>Peziza fuckeliana</i> , <i>Sclerotinia fuckeliana</i>) (anamorph <i>Botrytis cinerea</i> , <i>Sclerotium durum</i>) | dry eye rot; ghost spot; grey mould | NO ACTION |
| Fungi | Ascomycetes / Helotiales | Sclerotiniaceae | <i>Sclerotinia sclerotiorum</i> (syn. <i>Peziza sclerotiorum</i> , <i>S. libertiana</i>) | calyx end rot; sclerotinia rot; white mould | NO ACTION |
| Fungi | Ascomycetes / Helotiales | Sclerotiniaceae | <i>Sclerotinia sclerotiorum</i> (syn. <i>Peziza sclerotiorum</i> , <i>S. libertiana</i>) | calyx end rot; sclerotinia rot; white mould | NO ACTION |
| Fungi | Coelomycetes | - | <i>Colletotrichum acutatum</i> (syn. <i>C. fructigenum</i> , <i>Gloeosporium fructigenum</i>) | anthracnose; bitter rot | NO ACTION |

Commodity Pest List for USA pre-cleared pipfruit

| Category | Order / Group | Family | Scientific Name - Genus species | Common Name | USA Determination |
|----------|---------------|-------------------|--|---|-------------------|
| Fungi | Coelomycetes | Amphisphaeriaceae | <i>Pestalotiopsis maculans</i> (syn. <i>Pestalotia guepinii</i> , <i>P. guepinii</i> , <i>Sporocadus maculans</i>) | leaf spot; pestalotia leaf spot; pestalotiopsis rot | NO ACTION |
| Fungi | Coelomycetes | Leptostromataceae | <i>Gloeodes pomigena</i> (syn. <i>Dothidea pomigena</i>) | sooty blotch | NO ACTION |
| Fungi | Coelomycetes | Phomaceae | <i>Fusicoccum luteum</i> | fusicoccum rot; ripe spot | ACTION |
| Fungi | Coelomycetes | Phomaceae | <i>Phoma exigua</i> f. sp. <i>exigua</i> | storage rot | NO ACTION |
| Fungi | Coelomycetes | Phomaceae | <i>Phoma glomerata</i> | phoma leaf and fruit spot; storage rot | NO ACTION |
| Fungi | Coelomycetes | Phomaceae | <i>Phoma macrostoma</i> f. sp. <i>macrostoma</i> | phoma leaf and fruit spot; storage rot | NO ACTION |
| Fungi | Coelomycetes | Phomaceae | <i>Phomopsis</i> sp. | phomopsis rot | ACTION |
| Fungi | Coelomycetes | Sphaeriodaceae | <i>Phoma pomorum</i> (syn. <i>Coniothecium chomatosporum</i> , <i>P. pirinia</i> , <i>P. pomi</i> , <i>P. prunicola</i> , <i>Phyllosticta alni-glutinosae</i> , <i>Phyllosticta circumscissa</i> , <i>Phyllosticta prunicola</i> , <i>Phyllosticta pyrina</i>) (anamorph <i>Coniothecium chomatosporum</i> , <i>Depazea prunicola</i>) | phoma fruit spot; shot-hole spot | NO ACTION |
| Fungi | Hymomycetes | - | <i>Rhinocladiella</i> sp. | - | NO ACTION |
| Fungi | Hymomycetes | - | <i>Trichothecium roseum</i> | mould; pink rot | NO ACTION |
| Fungi | Hymomycetes | Dematiaceae | <i>Alternaria alternata</i> (syn. <i>A. tenuis</i> , <i>Torula alternata</i>) | black mould; black point; black rot; fruit rot; mould; sooty mould | NO ACTION |
| Fungi | Hymomycetes | Dematiaceae | <i>Aureobasidium pullulans</i> | black yeast | NO ACTION |
| Fungi | Hymomycetes | Dematiaceae | <i>Cladosporium herbarum</i> | cladosporium mould | NO ACTION |
| Fungi | Hymomycetes | Dematiaceae | <i>Epicoccum purpurascens</i> (syn. <i>E. caricicola</i> , <i>E. neglectum</i> , <i>E. nigrum</i> , <i>Phoma epicoccina</i>) | sooty mould | NO ACTION |
| Fungi | Hymomycetes | Moniliaceae | <i>Penicillium</i> spp. | penicillium mould | NO ACTION |
| Fungi | Hymomycetes | Moniliaceae | <i>Trichoderma viride</i> | mould | NO ACTION |
| Fungi | Hypocreales | Nectriaceae | <i>Gibberella avenacea</i> (syn. <i>Fusarium avenaceum</i>) | fusarium mould; head scab | NO ACTION |
| Fungi | Hypocreales | Nectriaceae | <i>Gibberella baccata</i> (syn. <i>Sphaeria baccata</i>) (anamorph <i>Fusarium carneoroseum</i> , <i>Fusarium fructigenum</i> , <i>Fusarium limonis</i>) | fruit rot; fusarium mould; fusarium rot | NO ACTION |
| Fungi | Pleosporales | Pleosporaceae | <i>Pleospora allii</i> (syn. <i>Sphaeria allii</i>) (anamorph <i>Helminthosporium vesicarium</i> , <i>Stemphylium vesicarium</i>) | black mould | NO ACTION |
| Fungi | Pleosporales | Pleosporaceae | <i>Pleospora herbarum</i> (syn. <i>P. australis</i> , <i>P. pomorum</i> , <i>P. zelandica</i> , <i>Sphaeria australis</i> , <i>Sphaeria herbarum</i> , <i>Sphaeria zelandica</i>) (anamorph <i>Macrosporium parasiticum</i> , <i>Stemphylium herbarum</i>) | black mould rot; fruit rot; pod spot; secondary rot | NO ACTION |
| Fungi | Pythiales | Pythiaceae | <i>Phytophthora cactorum</i> (syn. <i>Peronospora cactorum</i>) | leather rot; phytophthora collar rot; phytophthora crown rot; phytophthora root rot | NO ACTION |
| Fungi | Zygomycetes | Mucoraceae | <i>Mucor</i> sp. | mould; mucor rot | NO ACTION |
| Insects | Blattodea | Blattidae | <i>Blatella germanica</i> | German cockroach | NO ACTION |
| Insects | Coleoptera | Anobiidae | <i>Anobium punctatum</i> | house borer | NO ACTION |
| Insects | Coleoptera | Anobiidae | <i>Ernobius mollis</i> | pine knot borer | NO ACTION |
| Insects | Coleoptera | Anthicidae | <i>Omonadus floralis</i> | narrownecked grain beetle | NO ACTION |
| Insects | Coleoptera | Bothrideridae | <i>Ascetoderes obsoletus</i> | cylindrical bark beetle | NO ACTION |
| Insects | Coleoptera | Bruchidae | <i>Bruchidius villosus</i> | broom seed beetle | NO ACTION |
| Insects | Coleoptera | Carabidae | <i>Agonum</i> spp. | ground beetle | NO ACTION |

Commodity Pest List for USA pre-cleared pipfruit

| Category | Order / Group | Family | Scientific Name - Genus species | Common Name | USA Determination |
|----------|---------------|----------------|---|---|-------------------|
| Insects | Coleoptera | Cerambycidae | <i>Arhopalus ferus</i> | burnt pine longhorn beetle | NO ACTION |
| Insects | Coleoptera | Cerambycidae | <i>Arhopalus tristis</i> | burnt pine longhorn beetle | ACTION |
| Insects | Coleoptera | Chrysomelidae | <i>Eucolaspis brunnea</i> | bronze beetle | ACTION |
| Insects | Coleoptera | Chrysomelidae | <i>Longitarsus fuliginosus</i> | flea beetle; leaf beetle | ACTION |
| Insects | Coleoptera | Coccinellidae | <i>Coccinella undecimpunctata</i> | eleven spotted ladybird | NO ACTION |
| Insects | Coleoptera | Coccinellidae | <i>Scymnus loewii</i> | native ladybird | NO ACTION |
| Insects | Coleoptera | Coccinellidae | <i>Stethorus bifidus</i> | apple mite ladybird; apple spider mite ladybird; ladybird | NO ACTION |
| Insects | Coleoptera | Coccinellidae | Subfamily Epilachninae | | ACTION |
| Insects | Coleoptera | Corylophidae | All species in the family Corylophidae | hooded beetle | NO ACTION |
| Insects | Coleoptera | Corylophidae | <i>Sericoderus brevicornis</i> | hooded beetle | NO ACTION |
| Insects | Coleoptera | Cryptophagidae | <i>Atomaria</i> sp. | silken fungus beetle | NO ACTION |
| Insects | Coleoptera | Cryptophagidae | <i>Cryptophagus</i> spp. | cryptophagid fungus beetle | NO ACTION |
| Insects | Coleoptera | Curculionidae | <i>Asynonychus cervinus</i> (syn. <i>Aramigus fulleri</i> , <i>A. godmani</i> , <i>A. godmanni</i> , <i>A. godnami</i> , <i>Pantomorus fulleri</i> , <i>Pantomorus godmani</i> , <i>Pantomorus cervinus</i>) | Fuller's rose weevil | NO ACTION |
| Insects | Coleoptera | Curculionidae | <i>Gonipterus scutellatus</i> | gum tree weevil | ACTION |
| Insects | Coleoptera | Curculionidae | <i>Irenimus compressus</i> | compressed weevil | ACTION |
| Insects | Coleoptera | Curculionidae | <i>Listroderes difficilis</i> (syn. <i>L. obliquus</i>) | vegetable weevil | NO ACTION |
| Insects | Coleoptera | Curculionidae | <i>Listronotus bonariensis</i> | Argentine stem weevil; stem weevil | ACTION |
| Insects | Coleoptera | Curculionidae | <i>Mecinus pasuorum</i> (syn. <i>Gymnetron pascuorum</i>) | weevil | NO ACTION |
| Insects | Coleoptera | Curculionidae | <i>Mitrastethus baridioides</i> | kauri weevil | NO ACTION |
| Insects | Coleoptera | Curculionidae | <i>Otiorhynchus</i> sp. | black vine weevil; strawberry root weevil | ACTION |
| Insects | Coleoptera | Curculionidae | <i>Phlyctinus callosus</i> | garden weevil; vine weevil | ACTION |
| Insects | Coleoptera | Curculionidae | <i>Rhinocyllus conicus</i> | nodding thistle receptacle weevil | NO ACTION |
| Insects | Coleoptera | Curculionidae | <i>Sitona discoideus</i> | sitona weevil | ACTION |
| Insects | Coleoptera | Curculionidae | <i>Sitophilus oryzae</i> | rice weevil | NO ACTION |
| Insects | Coleoptera | Dermestidae | <i>Anthrenus verbasci</i> | Varied carpet beetle | NO ACTION |
| Insects | Coleoptera | Dermestidae | <i>Dermestes maculatus</i> | hide beetle | NO ACTION |
| Insects | Coleoptera | Elateridae | <i>Conoderus exsul</i> | wireworm | NO ACTION |
| Insects | Coleoptera | Erotylidae | All members of Erotylidae | pleasing fungus beetles | NO ACTION |
| Insects | Coleoptera | Latridiidae | <i>Aridius bifasciatus</i> | fungus beetle; mildew beetle; minute brown scavenger beetle; scavenger beetle | NO ACTION |
| Insects | Coleoptera | Latridiidae | <i>Aridius costatus</i> | minute brown scavenger beetle | NO ACTION |
| Insects | Coleoptera | Latridiidae | <i>Aridius nodifer</i> | fungus beetle; mildew beetle; minute brown scavenger beetle | NO ACTION |
| Insects | Coleoptera | Latridiidae | <i>Cartodere</i> spp. | fungus beetle | NO ACTION |
| Insects | Coleoptera | Latridiidae | <i>Corticaria pubescens</i> | fungus beetle | NO ACTION |
| Insects | Coleoptera | Latridiidae | <i>Corticaria</i> spp. | fungus beetle | NO ACTION |

Commodity Pest List for USA pre-cleared pipfruit

| Category | Order / Group | Family | Scientific Name - Genus species | Common Name | USA Determination |
|----------|---------------|----------------|---|---|----------------------|
| Insects | Coleoptera | Latridiidae | <i>Corticaria hirtalis</i> | fungus beetle; mildew beetle; minute scavenger beetle | NO ACTION |
| Insects | Coleoptera | Latridiidae | <i>Corticaria serrata</i> | fungus beetle; scavenger beetle | NO ACTION |
| Insects | Coleoptera | Latridiidae | <i>Lathridius minutus</i> | squarenosed fungus beetle | NO ACTION |
| Insects | Coleoptera | Mycetophagidae | <i>Typhaea stercorea</i> | hairy fungus beetle | NO ACTION |
| Insects | Coleoptera | Nitidulidae | All species when only identified to family | sap beetle | NO ACTION |
| Insects | Coleoptera | Nitidulidae | <i>Carpophilus ligneus</i> | sap beetle | NO ACTION |
| Insects | Coleoptera | Nitidulidae | <i>Carpophilus</i> spp. | dried fruit beetle | NO ACTION |
| Insects | Coleoptera | Nitidulidae | <i>Urophorus humeralis</i> (syn. <i>Carpophilus humeralis</i>) | fruit beetle; nitidulid beetle | NO ACTION |
| Insects | Coleoptera | Scarabaeidae | <i>Aphodius lividus</i> | dung beetle | NO ACTION |
| Insects | Coleoptera | Scarabaeidae | Scarabaedie subfamily Cetoniinae, Dynastinae, Melolonthinae, Rutelinae | scarab beetle | ACTION |
| Insects | Coleoptera | Scarabaeidae | <i>Costelytra zealandica</i> (syn. <i>Odontria castanea</i> , <i>Odontria zealandica</i> , <i>Rhisotrogus zealandicus</i>) | grass grub | ACTION |
| Insects | Coleoptera | Scirtidae | <i>Cyphon</i> sp. | marsh beetle | NO ACTION |
| Insects | Coleoptera | Scolytidae | <i>Hylastes ater</i> | black pine bark beetle | ACTION |
| Insects | Coleoptera | Scolytidae | <i>Hylurgus ligniperda</i> | golden haired bark beetle | ACTION (Hawaii only) |
| Insects | Coleoptera | Silvanidae | <i>Ahasverus advena</i> | foreign grain beetle | NO ACTION |
| Insects | Coleoptera | Staphylinidae | <i>Staphylinidae</i> indet. | rove beetle | NO ACTION |
| Insects | Coleoptera | Zopheridae | <i>Colydiidae</i> spp. | | NO ACTION |
| Insects | Collembola | Entomobryidae | <i>Entomobrya nivalis</i> | springtail | NO ACTION |
| Insects | Dermoptera | Forficulidae | <i>Forficula auricularia</i> | European earwig | NO ACTION |
| Insects | Diptera | Agromyzidae | <i>Cerodontha australis</i> | wheat sheath miner | ACTION |
| Insects | Diptera | Anthomyiidae | <i>Delia platura</i> | onion fly | NO ACTION |
| Insects | Diptera | Cecidomyiidae | <i>Dasineura mali</i> (syn. <i>Dasyneura mali</i>) | apple leafcurling midge | NO ACTION |
| Insects | Diptera | Cecidomyiidae | <i>Dasineura pyri</i> (syn. <i>Dasyneura pyri</i>) | peach leafcurling midge | NO ACTION |
| Insects | Diptera | Chironomidae | <i>Chironomus zealandicus</i> | midge | NO ACTION |
| Insects | Diptera | Drosophilidae | <i>Drosophila</i> sp. | vinegar fly | NO ACTION |
| Insects | Diptera | Drosophilidae | <i>Drosophila immigrans</i> | vinegar fly | NO ACTION |
| Insects | Diptera | Drosophilidae | <i>Drosophila melanogaster</i> | vinegar fly | NO ACTION |
| Insects | Diptera | Phoridae | All species in the family Phoridae | scuttle fly | NO ACTION |
| Insects | Diptera | Phoridae | <i>Megaselia rufipes</i> | humpbacked fly | NO ACTION |
| Insects | Diptera | Psychodidae | <i>Psychoda</i> sp. | drain fly | NO ACTION |
| Insects | Diptera | Psychodidae | <i>Psychoda surcoufi</i> | moth fly | NO ACTION |
| Insects | Diptera | Sciaridae | <i>Bradyia</i> sp. | fungus gnat | NO ACTION |
| Insects | Diptera | Sciaridae | <i>Lycoriella</i> sp. | darkwinged fungus gnat | NO ACTION |
| Insects | Diptera | Syrphidae | All members of Syrphidae | hoverfly | NO ACTION |
| Insects | Diptera | Syrphidae | <i>Eristalis tenax</i> | drone fly (Larvae known as rat-tailed maggots) | NO ACTION |

Commodity Pest List for USA pre-cleared pipfruit

| Category | Order / Group | Family | Scientific Name - Genus species | Common Name | USA Determination |
|----------|---------------|--------------|---|--------------------------|-------------------|
| Insects | Diptera | Syrphidae | <i>Subfamily Eristalinae (Eumerus sp., E. figurans, and Merodon sp.)</i> | hoverfly | ACTION |
| Insects | Hemiptera | Anthocoridae | <i>Buchananiella whitei</i> | Minute pirate bug | NO ACTION |
| Insects | Hemiptera | Aphididae | <i>Acyrtosiphon pisum</i> | pea aphid | NO ACTION |
| Insects | Hemiptera | Aphididae | <i>Aphis gossypii</i> (syn. <i>A. bauhiniae</i> , <i>A. citri</i> , <i>A. lilicola</i> , <i>A. minuta</i> , <i>A. parvus</i> , <i>A. tectonae</i> , <i>Doralina frangulae</i> , <i>Doralina gossypii</i> , <i>Doralis frangulae</i> , <i>Toxoptera leonuri</i>) | melon aphid | NO ACTION |
| Insects | Hemiptera | Aphididae | <i>Cavariella aegopodii</i> (syn. <i>Aphis aegopodii</i> , <i>cavariella umbellatarum</i>) | carrot aphid | NO ACTION |
| Insects | Hemiptera | Aphididae | <i>Dysaphis aucupariae</i> | wild service aphid | ACTION |
| Insects | Hemiptera | Aphididae | <i>Eriosoma lanigerum</i> | woolly apple aphid | NO ACTION |
| Insects | Hemiptera | Aphididae | <i>Macrosiphum euphorbiae</i> (syn. <i>Illinoia solanifolii</i> , <i>Macrosiphon solanifolii</i> , <i>M. amygdaloïdes</i> , <i>M. euphorbiellum</i> , <i>M. koehleri</i> , <i>M. solanifolii</i> , <i>M. tabaci</i> , <i>Nectarophora tabaci</i> , <i>Siphonophora euphorbiae</i>) | potato aphid | NO ACTION |
| Insects | Hemiptera | Aphididae | <i>Macrosiphum rosae</i> | rose aphid | NO ACTION |
| Insects | Hemiptera | Aphididae | <i>Myzus persicae</i> (syn. <i>Aphis persicae</i> , <i>Myzodes persicae</i> , <i>Rhopalosiphum persicae</i>) | green peach aphid | NO ACTION |
| Insects | Hemiptera | Aphididae | <i>Rhopalosiphum padi</i> | cereal aphid | NO ACTION |
| Insects | Hemiptera | Aphididae | <i>Theroaphis trifolii</i> form <i>maculata</i> | spotted alfalfa aphid | NO ACTION |
| Insects | Hemiptera | Aphididae | <i>Tuberolachnus salignus</i> | giant willow aphid | NO ACTION |
| Insects | Hemiptera | Cicadidae | All species of Cicadidae (immatures when only identified to family) | cicada | ACTION |
| Insects | Hemiptera | Coccoidea | <i>Ceroplastes sinensis</i> | Chinese wax scale | NO ACTION |
| Insects | Hemiptera | Coccoidea | <i>Saissetia oleae</i> (syn. <i>Bernardia oleae</i> , <i>Chermes oleae</i> , <i>Coccus oleae</i> , <i>Coccus palmae</i> , <i>Coccus testudo</i> , <i>Lecanium oleae</i> , <i>Lecanium oleae testudo</i> , <i>Lecanium palmae</i> , <i>Lecanium testudo</i> , <i>Neobernardia oleae</i> , <i>Parasaissetia oleae</i> , <i>S. obae</i>) | black scale; olive scale | NO ACTION |
| Insects | Hemiptera | Diaspididae | <i>Aonidiella aurantii</i> (syn. <i>Aonidia aurantii</i> , <i>A. citri</i> , <i>A. gennadi</i> , <i>Aspidiotus aurantii</i> , <i>Aspidiotus citri</i> , <i>Aspidiotus coccineus</i> , <i>Chrysomphalus aurantii</i> , <i>Chrysomphalus citri</i>) | California red scale | NO ACTION |
| Insects | Hemiptera | Diaspididae | <i>Diaspidiotus ostreaeformis</i> (syn. <i>Quadraspidiotus ostreaeformis</i>) | oystershell scale | NO ACTION |
| Insects | Hemiptera | Diaspididae | <i>Diaspidiotus perniciosus</i> (syn. <i>Aonidia fusca</i> , <i>Aonidiella fusca</i> , <i>Aonidiella perniciosa</i> , <i>Aspidiotus albopunctatus</i> , <i>Aspidiotus andromelas</i> , <i>Aspidiotus fuscus</i> , <i>Aspidiotus perniciosus</i> , <i>Aspidiotus perniciosus</i> , <i>Aspidiotus perniciosus</i> , <i>Aspidiotus perniciosus</i> , <i>Hemiberlesia perniciosa</i> , <i>Quadraspidiotus perniciosus</i>) | San Jose scale | NO ACTION |
| Insects | Hemiptera | Diaspididae | <i>Hemiberlesia rapax</i> (syn. <i>Aspidiotus camelliae</i> , <i>Aspidiotus convexus</i> , <i>Aspidiotus lucumae</i> , <i>Aspidiotus rapax</i> , <i>Aspidiotus tricolor</i> , <i>H. argentina</i> , <i>H. rapax</i>) | greedy scale | NO ACTION |
| Insects | Hemiptera | Diaspididae | <i>Lepidosaphes ulmi</i> | apple mussel scale | NO ACTION |

Commodity Pest List for USA pre-cleared pipfruit

| Category | Order / Group | Family | Scientific Name - Genus species | Common Name | USA Determination |
|----------|---------------|----------------|---|-----------------------------------|-------------------|
| Insects | Hemiptera | Diaspididae | <i>Parlatoria pittospori</i> | mauve pittosporum scale | NO ACTION |
| Insects | Hemiptera | Lygaeidae | <i>Nysius huttoni</i> | nysius bug; wheat bug | ACTION |
| Insects | Hemiptera | Lygaeidae | <i>Pachybrachius inornatus</i> | seed beetle | ACTION |
| Insects | Hemiptera | Lygaeidae | <i>Remaudiereana inornatus</i> | weed seed bug | ACTION |
| Insects | Hemiptera | Lygaeidae | <i>Rhypodes clavicornis</i> | seed bug | ACTION |
| Insects | Hemiptera | Lygaeidae | <i>Rhypodes serricatus</i> | seed bug | ACTION |
| Insects | Hemiptera | Margarodidae | <i>Icerya purchasi</i> (syn. <i>Pericerya purchasi</i>) | cottony cushion scale | NO ACTION |
| Insects | Hemiptera | Miridae | All species of Miridae (immatures when only identified to family) | plant bugs, leaf bugs, grass bugs | ACTION |
| Insects | Hemiptera | Miridae | <i>Halticus minutus</i> | black garden fleahopper | ACTION |
| Insects | Hemiptera | Miridae | <i>Sejanus albosignatus</i> | mirid bug | ACTION |
| Insects | Hemiptera | Nabidae | <i>Nabis kinbergii</i> | pacific damsel bug | NO ACTION |
| Insects | Hemiptera | Orsillidae | <i>Nysius caledoniae</i> | Caledonia seed bug | ACTION |
| Insects | Hemiptera | Pentatomidae | All species of Pentatomidae (nymphs when only identified to family) | stink bugs; shield bugs | ACTION |
| Insects | Hemiptera | Pentatomidae | <i>Dictyotus caenosus</i> | brown shield bug | ACTION |
| Insects | Hemiptera | Phylloxeridae | <i>Phylloxera</i> sp. | gall phylloxera | ACTION |
| Insects | Hemiptera | Pseudococcidae | <i>Nipaecoccus aurilanatus</i> (syn. <i>Pseudococcus aurilanatus</i>) | golden mealybug; mealybug | NO ACTION |
| Insects | Hemiptera | Pseudococcidae | <i>Paracoccus cavaticus</i> | mealybug | ACTION |
| Insects | Hemiptera | Pseudococcidae | <i>Paracoccus</i> sp. nr. <i>cavaticus</i> | mealybug | ACTION |
| Insects | Hemiptera | Pseudococcidae | <i>Pseudococcus calceolariae</i> (syn. <i>Dactylopius calceolariae</i> , <i>Erium calceolariae</i> , <i>P. citrophilus</i> , <i>P. fragilis</i> , <i>P. gahani</i> , <i>P. similans</i>) | citrophilus mealybug | NO ACTION |
| Insects | Hemiptera | Pseudococcidae | <i>Pseudococcus longispinus</i> | longtailed mealybug | NO ACTION |
| Insects | Hemiptera | Pseudococcidae | <i>Pseudococcus viburni</i> (syn. <i>Dactylopius affinis</i> , <i>P. affinis</i> , <i>P. capensis</i> , <i>P. longispinus</i> var. <i>latipes</i> , <i>P. malacearum</i> , <i>P. obscurus</i>) | obscure mealybug; tuber mealybug | NO ACTION |
| Insects | Hemiptera | Reduviidae | <i>Empicoris</i> sp. | assassin bug | NO ACTION |
| Insects | Hymenoptera | Aphelinidae | <i>Aphelinus mali</i> | woolly aphid parasite | NO ACTION |
| Insects | Hymenoptera | Braconidae | <i>Apanteles</i> sp. | parasitic wasp | NO ACTION |
| Insects | Hymenoptera | Braconidae | <i>Aphidius</i> sp. | aphid parasite | NO ACTION |
| Insects | Hymenoptera | Encyrtidae | <i>Microterys nietneri</i> | soft scale parasite | NO ACTION |
| Insects | Hymenoptera | Encyrtidae | <i>Tachinaephagus zealandicus</i> | parasitic wasp | NO ACTION |
| Insects | Hymenoptera | Formicidae | <i>Ochetellus glaber</i> | black house ant | NO ACTION |
| Insects | Hymenoptera | Formicidae | <i>Technomyrmex albipes</i> | white-footed house ant | NO ACTION |
| Insects | Hymenoptera | Ichneumonidae | <i>Diplazon laetatorius</i> | ichneumon wasp | NO ACTION |
| Insects | Hymenoptera | Pteromalidae | <i>Ophelosia charlesi</i> | parasitic wasp | NO ACTION |
| Insects | Hymenoptera | Pteromalidae | <i>Pteromalus</i> sp. | parasitic wasp | NO ACTION |
| Insects | Lepidoptera | Arctiidae | <i>Nyctemera annulata</i> | magpie moth | ACTION |
| Insects | Lepidoptera | Choreutidae | <i>Tebenna micalis</i> | thistle moth | ACTION |
| Insects | Lepidoptera | Coleophoridae | <i>Coleophora mayrella</i> (syn. <i>C. spissicornis</i>) | banded clover casebearer | NO ACTION |
| Insects | Lepidoptera | Elachistidae | <i>Elachista</i> sp. | - | ACTION |
| Insects | Lepidoptera | Gelechiidae | Gelechiidae family level ID | twirler moth or gelechiid moth | ACTION |

Commodity Pest List for USA pre-cleared pipfruit

| Category | Order / Group | Family | Scientific Name - Genus species | Common Name | USA Determination |
|----------|---------------|--------------|---|---------------------------------------|-------------------|
| Insects | Lepidoptera | Gelechiidae | <i>Phthorimaea operculella</i> (syn. <i>Bryotropha solanella</i> , <i>Gelechia operculella</i> , <i>Gelechia tabacella</i> , <i>Gelechia terella</i> , <i>Gnorimoschema operculella</i> , <i>Lita operculella</i> , <i>Lita solanella</i> , <i>P. solanella</i> , <i>P. terrella</i> , <i>Scrobipalpa operculella</i> , <i>Scrobipalpus solanivora</i> , <i>Scrobipalpus solanivora</i>) | potato tuber moth | NO ACTION |
| Insects | Lepidoptera | Geometridae | <i>Cleora scriptaria</i> | geometrid moth; looper | ACTION |
| Insects | Lepidoptera | Geometridae | <i>Epyaxa lucidata</i> | native looper | ACTION |
| Insects | Lepidoptera | Geometridae | <i>Epyaxa rosearia</i> | native looper | ACTION |
| Insects | Lepidoptera | Geometridae | <i>Helastia corcularia</i> | carpet moth | NO ACTION |
| Insects | Lepidoptera | Geometridae | <i>Helastia cryptica</i> | looper moth | NO ACTION |
| Insects | Lepidoptera | Geometridae | <i>Phriissogonus laticostatus</i> | geometrid moth | ACTION |
| Insects | Lepidoptera | Geometridae | <i>Scopula rubraria</i> | common pasture moth | ACTION |
| Insects | Lepidoptera | Lygaeidae | <i>Plinthisus</i> sp. | seed bug | ACTION |
| Insects | Lepidoptera | Noctuidae | <i>Rhagsa scotosialis</i> | slender owlet moth | NO ACTION |
| Insects | Lepidoptera | Noctuidae | <i>Agrotis ipsilon</i> (syn. <i>A. spinula</i> , <i>A. suffusa</i> , <i>A. telifera</i> , <i>A. ypsilon</i> , <i>Euxoa ipsilon</i> , <i>Euxoa ypsilon</i> , <i>Exarnis ypsilon</i> , <i>Feltia ipsilon</i> , <i>Feltia ypsilon</i> , <i>Lycophotia ypsilon</i> , <i>Noctua ypsilon</i> , <i>Peridroma suffusa</i> , <i>Phalaena ipsilon</i> , <i>Phalaena ypsilon</i> , <i>Rhyacia ipsilon</i> , <i>Rhyacia ypsilon</i> , <i>Scotia ipsilon</i> , <i>Scotia ypsilon</i>) | greasy cutworm | NO ACTION |
| Insects | Lepidoptera | Noctuidae | <i>Chrysodeixis eriosoma</i> (syn. <i>Phytometra eriosoma</i> , <i>Plusia chalcites</i> , <i>Plusia eriosoma</i>) | green looper | ACTION |
| Insects | Lepidoptera | Noctuidae | <i>Graphania lignana</i> | cutworm moth | ACTION |
| Insects | Lepidoptera | Noctuidae | <i>Graphania ustistriga</i> | cutworm moth; large grey cutworm moth | ACTION |
| Insects | Lepidoptera | Noctuidae | <i>Helicoverpa armigera</i> (syn. <i>Heliothis armigera conferata</i>) | tomato fruitworm | ACTION |
| Insects | Lepidoptera | Noctuidae | <i>Leucania stenographa</i> (syn. <i>L. loreyi</i> , <i>Mythimna loreyimima</i> , <i>Mythimna stenographa</i>) | sugarcane army worm | ACTION |
| Insects | Lepidoptera | Noctuidae | <i>Mythimna separata</i> (syn. <i>Pseudaletia separata</i>) | cosmopolitan armyworm | ACTION |
| Insects | Lepidoptera | Noctuidae | <i>Tmetolophota propria</i> | tussock moth | ACTION |
| Insects | Lepidoptera | Oecophoridae | <i>Oecophoridae</i> indet | Oecophoridae moth | ACTION |
| Insects | Lepidoptera | Oecophoridae | <i>Agonopterix alstroemeriana</i> | hemlock moth | NO ACTION |
| Insects | Lepidoptera | Oecophoridae | <i>Endrosis sarcitrella</i> | white shouldered house moth | NO ACTION |
| Insects | Lepidoptera | Oecophoridae | <i>Hofmannophila pseudospretella</i> | brown house moth | NO ACTION |
| Insects | Lepidoptera | Pyralidae | <i>Ephestia elutella</i> | tobacco moth | NO ACTION |
| Insects | Lepidoptera | Pyralidae | <i>Orocrambus flexuosellus</i> | grass moth; moss moth | ACTION |
| Insects | Lepidoptera | Tineidae | <i>Erechthias</i> sp. | Erechthias moth | ACTION |
| Insects | Lepidoptera | Tineidae | <i>Opogona omoscopa</i> | detritus moth; tineid moth | NO ACTION |
| Insects | Lepidoptera | Tineidae | <i>Tineola bisselliella</i> | clothes moth | NO ACTION |
| Insects | Lepidoptera | Tortricidae | <i>Capua intractana</i> (syn. <i>Sperchia intractana</i>) | dusky leafroller | ACTION |
| Insects | Lepidoptera | Tortricidae | <i>Ctenopseustis obliquana</i> (syn. <i>C. ropeana</i> , <i>Teras obliquana</i>) | brownheaded leafroller | ACTION |
| Insects | Lepidoptera | Tortricidae | <i>Cydia pomonella</i> | codling moth | NO ACTION |
| Insects | Lepidoptera | Tortricidae | <i>Epiphyas postvittana</i> (syn. <i>Archips postvittanus</i> , <i>Austrotortrix postvittana</i> , <i>Cacoecia postvittana</i> , <i>Teras postvittana</i> , <i>Tortrix postvittana</i>) | lightbrown apple moth | ACTION |

Commodity Pest List for USA pre-cleared pipfruit

| Category | Order / Group | Family | Scientific Name - Genus species | Common Name | USA Determination |
|-----------------|----------------------|-----------------|---|--|--------------------------|
| Insects | Lepidoptera | Tortricidae | <i>Grapholita molesta</i> (syn. <i>Cydia molesta</i>) | oriental fruit moth | NO ACTION |
| Insects | Lepidoptera | Tortricidae | <i>Harmologa</i> sp. | tortricid moth | ACTION |
| Insects | Lepidoptera | Tortricidae | <i>Planotortrix excessana</i> (syn. <i>Teras excessana</i> , <i>Tortrix excessana</i>) | greenheaded leafroller | ACTION |
| Insects | Lepidoptera | Tortricidae | <i>Planotortrix octo</i> | green headed leafroller | ACTION |
| Insects | Lepidoptera | Tortricidae | <i>Strepsicrates ejectana</i> | guava bud moth | ACTION |
| Insects | Lepidoptera | Tortricidae | <i>Strepsicrates macropetana</i> | eucalyptus leafroller | ACTION |
| Insects | Lepidoptera | Yponomeutidae | <i>Plutella xylostella</i> | diamond back moth | NO ACTION |
| Insects | Lepidoptera | Yponomeutidae | <i>Zelleria porphyraula</i> | no common name | ACTION |
| Insects | Neuroptera | Coniopterygidae | <i>Cryptoscenea australiensis</i> | Dusty lacewing | NO ACTION |
| Insects | Neuroptera | Hemerobiidae | <i>Micromus tasmaniae</i> | Tasmanian lacewing | NO ACTION |
| Insects | Orthoptera | Gryllidae | <i>Teleogryllus</i> sp. | ground cricket | ACTION |
| Insects | Psocoptera | All Families | All species of Psocoptera | psocid | NO ACTION |
| Insects | Thysanoptera | Phlaeothripidae | <i>Haplothrips kurdjumovi</i> | predatory thrips | NO ACTION |
| Insects | Thysanoptera | Phlaeothripidae | <i>Hoplandrothrips bidens</i> (syn. <i>H. collinsi</i> , <i>H. tridens</i> , <i>H. bagnallianus</i> , <i>H. unidens</i> , <i>Phloeothonips parvulus</i>) | thrips | NO ACTION |
| Insects | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | thrips | NO ACTION |
| Insects | Thysanoptera | Thripidae | <i>Frankliniella occidentalis</i> (syn. <i>Euthrips helianthi</i> , <i>Euthrips occidentalis</i> , <i>Euthrips tritici</i> var. <i>californicus</i> , <i>F. californica</i> , <i>F. canadensis</i> , <i>F. chrysanthemi</i> , <i>F. claripennis</i> , <i>F. conspicua</i> , <i>F. dahliae</i> , <i>F. dianthi</i> , <i>F. helianthi</i> , <i>F. moultoni</i> , <i>F. nubila</i> , <i>F. occidentalis</i> f. <i>brunnescens</i> , <i>F. occidentalis</i> f. <i>dubia</i> , <i>F. syringae</i> , <i>F. trehernei</i> , <i>F. tritici</i> <i>maculata</i> , <i>F. tritici</i> var. <i>moultoni</i> , <i>F. umbrosa</i> , <i>F. venusta</i>) | western flower thrips | NO ACTION |
| Insects | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> (syn. <i>Dinurothrips rufiventris</i> , <i>H. adonium</i> , <i>H. ceylonicus</i> , <i>H. haemorrhoidalis</i> var. <i>abdominalis</i> , <i>H. haemorrhoidalis</i> var. <i>andustior</i> , <i>H. haemorrhoidalis</i> var. <i>ceylonicus</i> , <i>H. semiaureus</i> , <i>Heterothrips haemorrhoidalis</i> , <i>Thrips haemorrhoidalis</i>) | greenhouse thrips | NO ACTION |
| Insects | Thysanoptera | Thripidae | <i>Thrips obscuratus</i> | New Zealand flower thrips | ACTION |
| Insects | Thysanoptera | Thripidae | <i>Thrips vulgatissimus</i> (syn. <i>Taeniothrips vulgatissimus</i>) | white flower thrips | NO ACTION |
| Insects | Thysanura | Lepimatidae | <i>Ctenolepisma longicaudata</i> | silverfish | NO ACTION |
| Insects | Trichoptera | Hydrobiosidae | <i>Psilochorema leptoharpax</i> | caddisfly | NO ACTION |
| Insects | Trichoptera | Hydropsychidae | <i>Aoteapsyche catherinae</i> | caddisfly | NO ACTION |
| Insects | Trichoptera | Hydroptilidae | <i>Oxyethira albiceps</i> | caddisfly | NO ACTION |
| Insects | Trichoptera | Hydroptilidae | <i>Paroxyethira hendersoni</i> | caddisfly | NO ACTION |
| Mites | Acari | Acaridae | <i>Tyrophagus putrescentiae</i> | mould mite | NO ACTION |
| Mites | Acari | Anystidae | <i>Anystis baccarum</i> | whirligig mite | NO ACTION |
| Mites | Acari | Bdellidae | <i>Bdelloides longirostris</i> | predatory mite | NO ACTION |
| Mites | Acari | Bdellidae | <i>Bdelloides oraria</i> | snout mite | NO ACTION |
| Mites | Acari | Tetranychidae | <i>Bryobia rubrioculus</i> (syn. <i>B. arborea</i> , <i>B. redicorzevi</i> , <i>B. redikorzevi</i>) | brown apple mite; brown mite; bryobia mite; pear bryobia | NO ACTION |

Commodity Pest List for USA pre-cleared pipfruit

| Category | Order / Group | Family | Scientific Name - Genus species | Common Name | USA Determination |
|----------|-----------------|---------------|--|---|--------------------------|
| Mites | Acari | Tetranychidae | <i>Panonychus ulmi</i> (syn. <i>Metatetranychus mali</i> , <i>Metatetranychus pilosus</i> , <i>Metatetranychus ulmi</i> , <i>Oligonychus ulmi</i> , <i>Paratetranychus pilosus</i> , <i>Paratetranychus pilosus occidentalis</i> , <i>Paratetranychus ulmi</i> , <i>Tetranychus pilosus</i> , <i>Tetranychus ulmi</i>) | European red mite; European red spider mite; fruit tree red spider mite | NO ACTION |
| Mites | Acari | Tydeidae | <i>Orthotydeus caudatus</i> (syn. <i>Tydeus caudatus</i>) | fungal feeding mite; tydeid mite | NO ACTION |
| Mites | Acari | Tydeidae | <i>Orthotydeus</i> spp. | tydeid mite | NO ACTION |
| Mites | Prostigmata | Tetranychidae | <i>Tetranychus urticae</i> (syn. <i>Eotetranychus scabrietus</i> , <i>Epitetranychus althaeae</i> , <i>Epitetranychus bimaculatus</i> , <i>Epitetranychus telarius</i> , <i>Paratetranychus althaeae</i> , <i>T. althaeae</i> , <i>T. bimaculatus</i> , <i>T. fragariae</i> , <i>T. manihotis</i> , <i>T. russeolus</i> , <i>T. scabrietus</i>) | two spotted mite; two spotted spider mite | NO ACTION |
| Plant | Apiales | Apiaceae | <i>Pastinaca sativa</i> | wild parsnip | NO ACTION |
| Snails | Gastropoda | Cochlicopidae | <i>Cochlicopa lubrica</i> | slippery moss snail | NO ACTION |
| Snails | Stylommatophora | Helicidae | <i>Helix aspersa</i> (syn. <i>Acavus (Helix) adspersa</i> , <i>Cochlea restitutoris</i> , <i>Cochlea vulgaris</i> , <i>Coenatoria aspersa</i> , <i>Cornu copioe</i> , <i>Cornucopia helicina</i> , <i>Cryptomphalus aspersus</i> , <i>H. (Acavus) aspersa</i> , <i>H. (Cryptomphalus) aspersus</i> , <i>H. (Helicogena) aspersa</i> , <i>H. (Pentatoenia) aspersa</i> , <i>H. (Pomatia) adspersa</i> , <i>H. (Pomatia) fluminensis</i> , <i>H. adspersa</i> , <i>H. aspera</i> , <i>H. grisea</i> , <i>H. hortensis</i> , <i>H. lucorum</i> , <i>H. rufescens</i> , <i>H. secunda</i> , <i>H. spumosa</i> , <i>H. variegata</i> , <i>Pomatia aspersa</i> , <i>Serpula cornucopia</i>) | brown garden snail; brown snail; common snail; European brown snail; garden snail | ACTION (AL, FL, PR only) |