

MINISTRY FOR PRIMARY INDUSTRIES
IMPORTING COUNTRIES PHYTOSANITARY
REQUIREMENTS

Ecuador

Status: **Approved**

Date: 4 June 2010

EXPORTERS ARE ADVISED TO CONFIRM THE
PHYTOSANITARY IMPORT REQUIREMENTS PRIOR TO
EXPORT FROM NEW ZEALAND

Amendment Record

Amendment No.	Date:	Nature of Amendment:	Approved by
12	11 October 2019	Updated section 4.4.1 Seed for Sowing to include requirements and a note for <i>Daucus carota</i> (Carrot) seed.	SR/SH
11	8 February 2018	Updated the import requirements for <i>Lilium</i> spp. bulbs, section 4.3.2.	
10.	28 August 2017	Updated requirements in section 4.4.1 for <i>Bromus catharticus</i> (<i>Bromus willdenowii</i>).	HK
9.	8 August 2017	Removed prohibitions from table of contents as no prohibitions currently specified. Corrected spelling of <i>Pectobacterium rhapontici</i> and added 16 pests to the quarantine pest list section 2.3. Added requirements for <i>Beta vulgaris</i> seed for sowing in section 4.4.1.	HK
8.	12 July 2017	Addition of import requirements of <i>Lolium x hybridum</i> or <i>Lolium hybridum</i> for sowing, Section 4.4.1 Seeds, Grains and Nuts for Sowing. Addition of the phrase "during the inspection prior to export" in the import requirements of other <i>Lolium</i> species within the ICPR to provide consistency. Removed <i>Lolium boucheanum</i> and the prohibited list section	GF
7.	22 June 2017	Remove numbers and added ten species to quarantine pest list, section 2.4. Updated requirements for <i>Lilium</i> spp. bulbs for	HK

Amendment No.	Date:	Nature of Amendment:	Approved by
		planting, Section 4.3.2	
6.	5 April 2017	<p>Addition of import requirements for <i>Lilium</i> spp. bulbs for planting, Section 4.3.2</p> <p>Addition of new sections entitled Fees and charges, Section 1.4 and table title, section 2.1</p> <p>Updated the link to the forestry ICPR, section 2.9 Wood Packaging</p> <p>Reformatted the presentation of the amendment record starting with the most recent record of amendments.</p>	GF
5.	30 October 2013	<p>Update of MAFBNZ to MPI (Ministry for Primary Industries, to reflect ministry name change.</p> <p>Additional statement added to section 1.2 to clarify scope of ICPR.</p> <p>Changed heading of section 2.5 to MPI specified Maximum Pest Limits (MPL).</p> <p>Added requirements for <i>Brassica napus</i> seed to section 4.4.1.</p>	JN
4.	10 January 2012	Section 2.4 Quarantine Pests – spelling corrected for: <i>Chilo auricilius</i> ; <i>Cydia latiferreana</i> ; <i>Diabrotica barberi</i> ; <i>Oeomona hirta</i> ; <i>Parthenolecanium corni</i> and <i>Cirsium arvense</i> .	CB
3.	15 September 2011	Section 4.4.1 clarifying additional declarations for <i>Bromus catharticus</i> , <i>B. willdenowi</i> , <i>Dactylis glomerata</i> <i>Lolium multiflorum</i> , <i>L. perenne</i> , <i>Trifolium pratense</i> , <i>Trifolium repens</i> , <i>Plantago lanceolata</i> and <i>Plantago</i> spp. Section 2.1 and 4.4.1 Prohibition of <i>Lolium boucheanum</i> seed export.	CB
2.	17 June 2010	Rewording of MPL section and addition of wording to the scope in general requirements.	GI
1.	4 June 2010	New ICPR.	GI

DISCLAIMER

The phytosanitary requirements in this document may be used as the basis for export certification. However, exporters should be aware that importing countries may change their requirements at any time; at short notice or without giving notice to New Zealand.

This information is provided strictly on the basis that the Crown, the Ministry for Primary Industries, its statutory officers, employees, agents and all other persons responsible for or associated with the compilation, writing, editing, approval or publication of the information:

1. disclaim any and all responsibility for any inaccuracy, error, omission, lateness, or any other kind of inadequacy, deficiency or flaw in, or in relation to, the information;

and

2. without limiting (1) above, fully exclude any and all liability of any kind on the part of all of them, to any person or entity that chooses to rely on this information

Compliance with this document is not to be taken as a guarantee that any particular goods will be granted access to any overseas market. We recommend that exporters work with their importers to obtain the most up-to-date information.

Table of Contents

1.	GENERAL INFORMATION	5
1.1	For enquires about this document email the Plant Exports Team:	5
1.2	Scope.....	5
1.3	Phytosanitary Legislation.....	5
1.4	Fees and charges	5
2.	GENERAL REQUIREMENTS.....	ERROR! BOOKMARK NOT DEFINED.
2.1	Phytosanitary Import Permits	6
2.2	Phytosanitary Certificates	6
2.3	Quarantine Pests	6
2.4	Ports of Entry	12
2.5	Inspection on Arrival	12
2.6	Sampling Rate	12
2.7	Transit Requirements	12
2.8	Wood Packaging.....	12
3.	COMMODITY CLASS REQUIREMENTS.....	13
3.1	Fruit and Vegetables.....	13
3.1.1	Fresh Fruit and Vegetables.....	13
3.1.2	Dried/Cured/Processed Fruit and Vegetables	13
3.1.3	Frozen Fruit and Vegetables.....	13
3.2	Cut Flowers and Foliage.....	13
3.2.1	Fresh Cut Flowers and Foliage	13
3.2.2	Dried Cut Flowers and Foliage	13
3.3	Nursery Stock	13
3.3.1	Budwood/Cuttings	13
3.3.2	Bulbs/Corms/Rhizomes/Tubers etc.	13
3.3.3	Whole Plants	13
3.3.4	Tissue Culture	13
3.4	Seeds, Grains and Nuts.....	13
3.4.1	Seeds, Grains and Nuts for Sowing.....	13
3.4.2	Seeds, Grains and Nuts for Processing.....	14
3.4.3	Seeds, Grains and Nuts for Consumption	14
3.5	Growing Media and Packing Material.....	14
3.5.1	Growing Media	14
3.5.2	Packing Material.....	14
4.	COMMODITY SPECIFIC REQUIREMENTS	14
4.1	Fruit and Vegetables.....	14
4.1.1	Fresh Fruit and Vegetables.....	14
4.1.2	Dried/Cured/Processed Fruit and Vegetables	14
4.1.3	Frozen Fruit and Vegetables.....	14
4.2	Cut Flowers and Foliage.....	14
4.2.1	Fresh Cut Flowers and Foliage	14
4.2.2	Dried Cut Flowers and Foliage	14
4.3	Nursery Stock	14
4.3.1	Budwood and Cuttings.....	14
4.3.2	Bulbs/Corms/Rhizomes/Tubers for propagation	15
4.3.3	Whole Plants	15
4.3.4	Tissue Culture	16
4.4	Seeds, Grains and Nuts.....	16
4.4.1	Seeds, Grains and Nuts for Sowing.....	16
4.4.2	Seeds, Grains and Nuts for Processing.....	21
4.4.3	Seeds, Grains and Nuts for Consumption	21
4.5	Growing Media and Packing Material.....	21
4.6	Miscellaneous	21

1. General Information

Users of this document are strongly advised to read all sections to understand the phytosanitary requirements for a commodity.

1.1 For enquires about this standard email the Plant Exports Team:

plantexports@mpi.govt.nz

Please state the nature of your enquiry in the subject line e.g. Ecuador query or pest interception or password re-set.

For urgent enquiries please phone + 64 4 894 5693

1.2 Scope

The requirements listed in this Importing Country's Phytosanitary Requirement (ICPR) apply to product of New Zealand only, unless specifically stated.

This ICPR specifies Ecuador's phytosanitary requirements. If a commodity or commodity group is not identified within this ICPR exporters should direct enquiries to:

- Ecuador directly to ascertain requirements
or
- Ministry for Primary Industries (MPI), Plant Exports.

1.3 Phytosanitary Legislation

The following legislation controls the importation of plants and plant materials into Ecuador:

- Registro Oficial Suplemento No. 322, 23 April 2008
- Registro Oficial No. 332, 8 May 2008
- Registro Oficial No. 388, 24 July 2008

1.4 Fees and charges

- Please note that the determination and provision of phytosanitary requirements for a commodity not listed within the ICPR may be undertaken on a cost recovered basis. A link to the list of Plant Exports Fees and Charges is available on <http://mpi.govt.nz/exporting/food/fruit-and-vegetables/fees-and-charges/>

2. General Requirements

2.1 Phytosanitary Import Permits

- 2.1.1 MPI believes that most commodities require an import permit and a phytosanitary certificate.
- 2.1.2 Phytosanitary conditions of import may be requested from:

Francisco A. Jácome Robalino

Director Ejecutivo de AGROCALIDAD

Agencia Ecuatoriana de Aseguramiento de la Calidad de Agro-CALIDAD

Av. Eloy Alfaro y Amazonas

Edificio MAGAP, piso 9

Quito

Ecuador

(593) 2 2567 232 / 2

(593) 2 2544 472 ext 102, 106

direccion@agrocalidad.gov.ec;

Website: <http://www.agrocalidad.gov.ec>

2.2 Phytosanitary Certificates

Phytosanitary certificates are required to accompany all consignments of plants and plant material from New Zealand.

2.3 Quarantine Pests

ANNEX 1

LIST OF PESTS NOT PRESENT IN ECUADOR

MITES

Aceria tulipae
Brevipalpus californicus
Brevipalpus chilensis
Brevipalpus lewisi
Brevipalpus obovatus
Bryobia rubrioculus
Calepitrimerus vitis
Colomerus vitis
Epitrimerus pyri
Eutetranychus orientalis
Oligonychus litchii
Oligonychus perditus
Panonychus citri
Panonychus ulmi
Petrobia latens
Phytonemus pallidus
Raoiella indica
Rhizoglyphus echinopus
Rhizoglyphus robini
Steneotarsonemus laticeps
Tenuipalpus pacificus
Tetranychus desertorum
Tetranychus evansi
Tetranychus kanzawai
Tetranychus ludeni
Tetranychus neocaledonicus

Tetranychus pacificus
Tetranychus truncates
Tetranychus tumidus
Tetranychus turkestanii
Tyrollichus casei
Tyrophagus putrescentiae

BACTERIA

Acidovorax avenae
Acidovorax avenae subsp. *avenae*
Acidovorax avenae subsp. *cattleyae*
Acidovorax avenae subsp. *citruilli*
Apple chat fruit disease
Brenneria salicis
~~*Burkholderia andropogonis*~~
Burkholderia caryophylli
Burkholderia gladioli pv. *gladioli*
Candidatus Liberibacter africanus
Candidatus Liberibacter americanus
Candidatus Liberibacter asiaticus
Candidatus Phytoplasma mali
Candidatus Phytoplasma oryzae
Candidatus Phytoplasma prunorum
Candidatus Phytoplasma trifolii
Clavibacter michiganensis subsp. *insidiosus*
~~*Clavibacter michiganensis* subsp. *nebraskensis*~~
Clavibacter michiganensis subsp. *sepedonicus*

Corynebacterium rathayi
Curtobacterium flaccumfaciens
Curtobacterium flaccumfaciens pv. *flaccumfaciens*
Dickeya zeae
Erwinia chrysanthemi* pv. *chrysanthemi
Erwinia chrysanthemi* pv. *dianthicola
Erwinia stewartii
Erwinia tracheiphila
Leifsonia xyli
Pantoea agglomerans* pv. *gypsophila
Pantoea ananatis
Pantoea stewartii
Pectobacterium carotovorum* subsp. *brasiliensis
Pectobacterium chrysanthemi
Pectobacterium cypripedii
Pectobacterium rhapontici
Pseudomonas amygdali
Pseudomonas cichorii
Pseudomonas marginalis
Pseudomonas marginalis pv. *marginalis*
Pseudomonas savastanoi pv. *glycinea*
Pseudomonas syringae pv. *aptata*
Pseudomonas syringae* pv. *atrofaciens
Pseudomonas syringae* pv. *garcae
Pseudomonas syringae* pv. *lachrymans
Pseudomonas syringae* pv. *lapsa
Pseudomonas syringae* pv. *maculicola
Pseudomonas syringae* pv. *lisi
Pseudomonas viridiflava
Ramu stunt disease
Rathayibacter rathayi
Rathayibacter tritici
Rhizobium rhizogenes
Rhodococcus fascians
Streptomyces ipomoeae
Xanthomonas alfalfae
Xanthomonas arboricola pv. *corylina*
Xanthomonas arboricola* pv. *juglandis
Xanthomonas arboricola pv. *pruni*
Xanthomonas axonopodis pv. *alfalfae*
Xanthomonas axonopodis pv. *begoniae*
Xanthomonas axonopodis pv. *citri*
Xanthomonas axonopodis pv. *dieffenbachiae*
Xanthomonas axonopodis pv. *glycines*
Xanthomonas axonopodis pv. *manihotis*
Xanthomonas axonopodis* pv. *phaseoli
~~*Xanthomonas axonopodis* pv. *ricini*~~
Xanthomonas axonopodis pv. *vasculorum*
Xanthomonas campestris
Xanthomonas campestris* pv. *diffenbachiae
~~*Xanthomonas campestris* pv. *citrumelo*~~
~~*Xanthomonas campestris* pv. *juglandis*~~
Xanthomonas campestris pv. *mangiferaeindicae*
Xanthomonas campestris* pv. *oryzicola
Xanthomonas campestris pv. *sesami*
Xanthomonas campestris* pv. *vasculorum
Xanthomonas campestris* pv. *zantedeschiae
Xanthomonas citri
Xanthomonas citri* subsp. *malvacearum
Xanthomonas cucurbitae

Xanthomonas euvesicatoria* pv. *allii
Xanthomonas fragariae
Xanthomonas fuscans* subsp. *aurantifolii
Xanthomonas hortorum pv. *carotae*
Xanthomonas oryzae pv. *oryza*
Xanthomonas phaseoli* pv. *phaseoli
Xanthomonas translucens
Xanthomonas translucens pv. *translucens*
Xanthomonas translucens* pv. *undulosa
Xanthomonas vasicola* pv. *musacearum
~~*Xanthomonas vasicola* pv. *holcicola*~~
Xanthomonas vesicatoria
Xylella fastidiosa
~~*Xylophilus ampelinus*~~

CHROMISTA

Albugo candida
Albugo cruciferarum
Basidiophora entospora
Hyaloperonospora parasitica
Ligniera vasculorum
Peronosclerospora maydis
Peronosclerospora philippinensis
Peronosclerospora sacchari
Peronosclerospora sorghi
~~*Peronosclerospora spontanea*~~
Peronospora farinosa* f. sp. *betae
Peronospora ficariae
Peronospora hyoscyami f. sp. *tabacina*
Peronospora manshurica
Peronospora tabacina
Phytophthora boehmeriae
Phytophthora citricola
Phytophthora cryptogea
Phytophthora erythroseptica* var. *erythroseptica
Phytophthora fragariae
Phytophthora katsurae
~~*Phytophthora fragariae* var. *rubi*~~
Phytophthora laterali
Phytophthora macrospora
Phytophthora megakarya
Phytophthora megasperma
Phytophthora palmivora
Phytophthora porri
Phytophthora ramorum
Phytophthora sojae
Phytophthora vignae
Plasmopara halstedii
Pythium deliense
Pythium graminicola
Pythium irregulare
Pythium myriotylum
Pythium splendens
Sclerophthora macrospora
Sclerophthora rayssiae* var. *zeae
Sclerospora graminicola

GASTROPODA

Theba pisana

FUNGI

Acremoniella atra
Albifimbria verrucaria

Alternaria allii
Alternaria dauci
Alternaria brassicicola
Alternaria gaisen
Alternaria helianthi
Alternaria infectoria
Alternaria japonica
Alternaria longissima
Alternaria mali
Alternaria padwickii
Alternaria radicina
Alternaria saponariae
Alternaria zinniae
Apiognomonina erythrostoma
Apiosporina morbosa
Armillaria luteobubalina
Armillaria tabescens
Ascochyta gossypii
Ascochyta lentis
Ascochyta medicaginicola
Ascochyta rabiei
Aspergillus alliaceus
Aspergillus glaucus
Aspergillus wentii
Atropellis pinicola
Atropellis piniphila
Aureobasidium lini
Aureobasidium zeae
Balansia oryzae-sativae
Batcheloromyces proteae
Bipolaris incurvata
Bipolaris victoriae
Botryosphaeria berengeriana f. sp. *pirycola*
Botryosphaeria loricina
Botryotinia porri
Botrytis tulipae
Ceratocystis fagacearum
Ceratocystis virescens
Cercospora bataticola
Cercospora elaeidis
Claviceps africana
Claviceps gigantea
Cochliobolus carbonum
Cochliobolus victoriae
Colletotrichum dematium
Colletotrichum destructivum
Colletotrichum fragariae
Colletotrichum kahawae
Coniella diplodiella
Cronartium comandrae
Cronartium comptoniae
Cronartium ribicola
Cryphonectria cubensis
Cryphonectria parasitica
Diaporthe vaccinii
Didymella bryoniae
Didymella lentis
Didymella ligulicola
Didymella rabiei
Diplocarpon earlianum
Discosphaerina fulvida
Elsinoe australis
Elsinoe batatas
Elsinoe brasiliensis
Elsinoe venera
Endocronartium harknessii
Entyloma dahliae
Eutypa lata
Fusarium oxysporum f. sp. *albedinis*
Fusarium oxysporum f. sp. *chrysanthemi*
Fusarium oxysporum f. sp. *conglutinaos*
Fusarium oxysporum f. sp. *cucumerinum*
Fusarium oxysporum f. sp. *fragariae*
Fusarium oxysporum f. sp. *gladioli*
Fusarium oxysporum f. sp. *melonis*
Ganoderma philippii
Gibberella avenacea
Gibberella xylarioides
Gloeotinia granigena
Gnomonia coman
Gremmeniella abietina
Guignardia bidwellii
Guignardia citricarpa
Guignardia musae
Gymnosporangium asiaticum
Gymnosporangium clavipes
Gymnosporangium fuscum
Gymnosporangium globosum
Gymnosporangium juniperi-virginianae
Gymnosporangium yamadai
Haplobasidium musae
Hemileia coffeicola
Hypoxyton mammatum
Inonotus weirii
Kabatiella zeae
Leptographium wageneri
Leptosphaeria coniothyrium
Ligniera vasculorum
Lophodermium pinastri
Marasmiellus cocophilus
Marasmiellus scandens
Marasmius crinis-equi
Melampsora farlowii
Melampsora medusae
Microdochium panattonianum
Monilia fructigena
Monilinia vaccinii-corymbosi
Monilochaetes infuscans
Mycosphaerella allii-cepae
Mycosphaerella citri
Mycosphaerella dearnessii
Mycosphaerella eumusae
Mycosphaerella gibsonii
Mycosphaerella laris-leptolepidis
Mycosphaerella populorum
Nectria galligena
Nematospora coryli
Neotyphodium coenophialum
Oncobasidium theobromae
Passalora sojina
Periconia circinata
Pezicula malicorticis
Phaeoramularia angolensis
Phakopsora euvtis
Phellinus noxis
Phialophora cinerescens
Phoma tracheiphila
Phomopsis viticola
Phyllosticta solitaria
Phymatotrichopsis omnivora
Physoderma leproides
Pleospora betae

Polyscytalum pustulans
Pseudocercospora fuligena
Pseudocercospora herpotrichoides
Puccinia allii
Puccinia cacabata
Puccinia substriata var. *penicillariae*
Pyrenopeziza brassicae
Ramularia oryzae
Rhizoctonia tuliparum
Rigidoporus microporus
Rosellinia arcuata
Sclerotinia borealis
Sphaceloma arachidis
Sphaceloma poinsettiae
Sporisorium cruentum
Stereum hirsutum
Tilletia controversa
Tilletia indica
Urocystis agropyri
Uromyces coronatus
Uromyces transversals
Ustilago violacea
Venturia cerasi

INSECTS

Acrobasis pyrivorella
Acrolepiopsis assectella
Adelges piceae
Adoretus versutus
Adoxophyes orana
Agrilus mali
Agriotes lineatus
Agriotes obscurus
Agriotes sputator
Agrilus convolvuli
Agromyza oryzae
Ahasverus advena
Aleurocanthus spiniferus
Amauromyza spp.
Amphimallon majalis
Amrasca biguttula biguttula
Amyelois transitella
Anarsia lineatella
Anastrepha ludens
Anastrepha suspense
Antestiopsis orbitalis
Anthonomus bisignifer
Anthonomus eugenii
Anthonomus grandis
Anthonomus pomorum
Anthonomus quadrigibbus
Anthonomus signatus
Antigastra catalaunalis
Aonidiella aurantii
Aonidiella citrina
Apate monachus
Athalia rosae
Atherigona oryzae
Autographa gamma
Bactrocera spp.
Bagrada hilaris
Batocera spp.
Blitopertha orientalis
Brachycerus albidentatus
Brachycerus muricatus
Brachycerus undatus
Bruchus spp.

Busseola fusca
Byturus tomentosus
Cacoecimorpha pronubana
Cacopsylla pyri
Cacopsylla pyrisuga
Cacyreus marshalli
Callosobruchus chinensis
Capnodis tenebrionis
Carpomya pardalina
Carposina sasakii
Caulophilus oryzae
Ceroplastes ceriferus
Ceroplastes destructor
Ceroplastes japonicus
Ceroplastes pseudoceriferus
Ceroplastes rubens
Ceutorhynchus pleurostigma
Chaetosiphon fragaefolii
Chilo auricilius
Chilo infuscatellus
Chilo partellus
Chilo sacchariphagus
Chilo suppressalis
Choristoneura conflictana
Choristoneura fumiferana
Choristoneura occidentalis
Choristoneura rosaceana
Chromatomyia horticola
Cnephasia longana
Cofias lesbian
Conogethes punctiferalis
Conopomorpha cramerella
Conopomorpha sinensis
Conotrachelus aguacatae
Conotrachelus perseae
Contarinia nasturtii
Contarinia tritici
Coptotermes testaceus
Corcyra cephalonica
Crocidolomia binotalis
Cryptolestes pusillus
Cryptophlebia illepidata
Cryptophlebia leucotreta
Cryptophlebia ombrodelta
Cryptorhynchus lapathi
Cydia funebrana
Cydia latiferreana
Cydia molesta
Cydia pomonella
Cydia splendana
Dasineura mali
Delia antiqua
Delia coarctata
Dendroctonus adjunctus
Dendroctonus brevicornis
Dendroctonus frontalis
Diabrotica barberi
Diabrotica virgifera virgifera
Diaphorina citri
Diaprepes abbreviatus
Didadyspa armiguera
Diparopsis castanea
Distantiella theobroma
Diuraphis noxia
Dociostaurus maroccanus
Dryocoetes confuses
Dysdercus fulvioniger discolor

Dyspessa ulula
Earias biplaga
Earias insulana
Earias vittella
Empoasca vitis
Epicaerus cognatus
Epicauta vittata
Epichoristodes acerbella
Epidiaspis leperii
Epiphyas postvittana
Erosomyia mangiferae
Eulecanium tillae
Eumeta variegata
Eupoecilia ambiguella
Euproctis chrysoorrhoea
Euproctis similis
Eurygaster integriceps
Eutinobothrus brasiliensis
Frankliniella cestrum
Fulmekiola serrara
Gilpinia hercyniae
Gnathotrichus sulcatus
Gnorimoschema heliopa
Gonipterus gibberus
Gonipterus scutellatus
Grapholita inopinata
Grapholita packardii
Grapholita prunivora
Gryllotalpa africana
Heilipus lauri
Helicomya saliciperda
Helicoverpa armigera
Heliothrips bicinctus
Helopeltis bergrothii
Henosepilachna elaterii
Heterobostrychus aequalis
Hieroglyphus banian
Hoplocampa testudinea
Horcias nobilellus
Hylobius abietis
Hylotrupes bajulus
Hylurgops palliatus
Hyphantria cunea
Icerya seychellarum
Ips spp.
Jacobiasca lybica
Lampides boeticus
Lamprosema diemenalis
Lawana imitara
Lepidosaphes ulmi
Leptinotarsa decemlineata
Leucinodes orbonalis
Leucoptera malifoliella
Lissorhoptrus oryzophilus
Listroderes costirostris
Listronotus bonariensis
Lobesia botrana
Lopholeucaspis japonica
Lygus lineolaris
Lymantria dispar
Lymantria monacha
Maconellicoccus hirsutus
Malacosoma dissτρια
Malacosoma neustria
Mamestra brassicae
Matsucoccus feytaudi
Mayetiola destructor

Megalurothrips distalis
Megastes grandalis
Megastigmus spermatrophus
Melanaspis glomerata
Monacrostichus citricola
Monochamus spp.
Mussidia nigrivenella
Myndus crudus
Naupactus leucoloma
Naupactus xanthographus
Neoceratitis cyanescens
Neodiprion sertifer
Oemona hirta
Onrphisa anastomosalis
Operophtera brumata
Orygia pseudotsugata
Orseolia oryzae
Orthotomicus erosus
Oscinella frit
Ostrinia nubilalis
Otiorhynchus ovatus
Otiorhynchus sulcatus
Oulema melanopus
Oulema oryzae
Palpita unionalis
Pandemis heparana
Parabemisia myricae
Paranthrene tabaniformis
Paraponyx stagnalis
Parlatoria oleae
Parlatoria ziziphi
Parthenolecanium corni
Parthenolecanium persicae
Pdopidas mathias
Phenacoccus manihoti
Phoracantha recurva
Piesma quadratum
Pissodes castaneus
Planococcus kenya
Popillia japonica
Prays citri
Prays oleae
Premnotypes latithorax
Premnotypes suturicallus
Proeulia auraria
Proeulia chrysopteris
Prostephanus truncatus
Pseudaulacaspis cockerelli
Pseudococcus calceolariae
Pseudococcus citriculus
Pseudodendrothrips mori
Pseudothrips devastans
Psila rosae
Psylliodes chrysocephala
Pulvinaria psidii
Retithrips syriacus
Rhabdoscelus obscurus
Rhagoletis spp.
Rhipiphorothrips cruentatus
Rhopalomyia chrysanthemi
Rhyacionia buoliana
Saperda carcharias
Scirtothrips aurantii
Scirtothrips citri
Scirtothrips dorsalis
Scolytus multistriatus
Scolytus scolytus

Scotinophara lurida
Sesamia cretica
Sinoxylon conigerum
Siphoninus phillyreae
Sirex noctilio
Sirex juvencus
Sphaeraspis vitis
Spilonota ocellana
Spodoptera littoralis
Statherotis discana
Stenchaetothrips biformis
Stenoma decora
Stephanitis typical
Sternochetus mangiferae
Tessarotoma papillosa
Tetramoera schistaceana
Thaumatopoea pityocampa
Thrips angusticeps
Thrips imaginis
Thrips nigropilosus
Tipula oleracea
Toxotrypana curvicauda
Tremex fuscicornis
Trioza erytraea
Trihithromyia cyanescens
Trogoderma spp.
Unaspis yanonensis
Urocerus gigas
Valanga nigricornis
Viteus vitifoliae
Yponomeuta malinellus
Zeuzera pyrina
Zulia entreriana

PEST PLANTS

Alhagi camelorum
Allium vineale
Amaranthus albus
Brassica kaber
Cardaria draba
Centaurea repens
Cirsium arvense
Cuscuta campestris
Cuscuta epithimum
Cuscuta europea
Euphorbia helioscopia
Heliotropium europaeum
Lepidium draba
Orobanche ramosa
Polygonum hydropiper
Saccharum spontaneum
Sinapis arvensis
Sonchus arvensis
Striga tutea
Thlaspi arvense
Xanthium strumarium

PHYTOPLASMAS

Apple proliferation phytoplasma
 Apple rubbery wood phytoplasma
 Aster yellows phytoplasma group
 European stone fruit yellows phytoplasma
Spiroplasma citri
 Sugarcane grassy shoot and white leaf
 phytoplasmas
Strawberry witches broom phytoplasma

NEMATODES

Anguina agrostis
Anguina tritici
Aphelenchoides fragariae
Aphelenchoides ritzemabosi
Belonolaimus longicaudatus
Bursaphelenchus xylophilus
Ditylenchus angustus
Helicotylenchus digonicus
Helicotylenchus dihystra
Helicotylenchus pseudorobustus
Heterodera cajani
Heterodera carotae
Heterodera goeangiana
Heterodera oryzae
Heterodera trifolii
Heterodera zeae
Hoplolaimus pararobustus
Longidorus diversicaudatus
Longidorus elongates
Meloidogyne chitwoodi
Meloidogyne coffeicola
Meloidogyne fallax
Pratylenchus crenatus
Pratylenchus loosi
Pratylenchus neglectus
Pratylenchus penetrans
Pratylenchus pratensis
Pratylenchus thornei
Pratylenchus vulnus
Punctodera chalconensis
Tylenchorhynchus claytoni
Xiphinema index
Xiphinema italiae

VIRUS

American plum lime pattern virus (APLPV)
 Apple chat fruit
 Apple mosaic ilarvirus
 Apple stem (TLV)
 Apple stem grooving virus (ASGV)
 Apple stem pitting virus
 Arabis mosaic virus (ArMV)
 Asparagus virus 2 (AV-2)
 Banana bract mosaic virus
 Banana bunchy top virus (BBTV)
 Barley stripe mosaic virus
 Bean golden mosaic virus (BGMV)
 Beet curly top virus
 Broad bean stain virus
 Broad bean wilt virus
 Cacao swollen shoot virus (CSSV)
 Cacao yellow mosaic virus (CYMV)
 Carnation necrotic fleck virus (CNFV)
 Carnation ringspot virus (CRSV)
 Cherry leaf roll virus (CLRV)
 Cherry necrotic rusty mottle virus (CNRMV)
 Cherry rasp leaf virus (CRLV)
 Cherry rusty mottle disease
 Chrysanthemum stunt viroid (CSVd)
 Citrus blight disease
 Citrus impietratura disease
 Citrus leaf rugose virus
 Citrus leprosis virus (CiLV)
 Citrus yellow mosaic virus (CiYMV)
 Clover yellow vein virus (CIYVV)

Cocoa necrosis virus (CoNV)	Peanut mottle potyvirus (PeMoV)
Coconut cadang-cadang viroid (CCCVd)	Peanut stripe virus
Coffee ringspot virus (CoRSv)	Peanut stunt virus (PSV)
Cotton anthocyanosis virus (CAV)	Pepper mild mottle virus
Cotton leaf crumple virus (CLCrV)	Plantago asiatica mosaic virus (PLAMV)
Cotton leaf curl virus (CLCu V)	Plum pox virus (PPV)
Cotton small leaf virus	Potato yellow dwarf virus (PYDV; CYDV; SYDV)
Cotton terminal stunt virus	Prune dwarf virus
Cowpea mild mottle virus (CPMMV)	Prunus necrotic ringspot virus
Cowpea mosaic virus (CPMV)	Raspberry leaf curl virus (RLCV)
Cucumber green mottle mosaic virus	Raspberry ringspot virus (RpRSV)
Cycas necrotic stunt virus (CNSV)	Rice stripe necrosis virus
Cymbidium mosaic virus (CymMV)	Satsuma dwarf virus (SDV)
Cymbidium ringspot virus (CymRSV)	Southern bean mosaic virus
Dasheen mosaic virus (DsMV)	Soybean dwarf virus (SbDV)
Fiji disease virus	Spinach latent virus (SPLV)
Grapevine chrome mosaic virus	Squash mosaic virus (SgMV)
Grapevine fanleaf virus (GFLV)	Strawberry crinkle virus (SCrV)
Grapevine leafroll-associated viruses	Strawberry latent ringspot virus (SLRSV)
Grapevine stem pitting-associated closterovirus	Strawberry vein banding virus (SVBV)
Lettuce mosaic virus (LMV)	Tobacco necrosis virus (TNV)
Lettuce necrotic yellows cytorhabdovirus (LNYV)	Tobacco rattle virus (TRV)
Lily mottle virus (LMoV)	Tobacco ringspot virus (TRSV)
Lily symptomless virus (LSV)	Tobacco streak virus (TRSV)
Lily virus X (LVX)	Tomato black ring virus (TBRV)
Little cherry virus (LCh V)	Tomato bunchy top viroid (TBTVd)
Odontoglossum ringspot tobamovirus (ORSV)	Tomato mottle bigeminivirus (TMoV)
Odontoglossum ringspot virus (ORSV)	Tomato yellow leaf curl virus (TYLCV)
Pea early-browning virus (PEBV; BBYBV)	Tulip breaking virus (TBV)
Peach latent mosaic viroid (PLMVd)	Turnip mosaic virus (TuMV)
Peach rosette mosaic virus (PRMV)	Yam mosaic virus (YMV)

2.4 Ports of Entry

Air Ports: Quito and Guayaquil.

Seaports: Guayaquil, Manta, Esmeraldas and Puerto Bolivar.

Land Ports: Tulcán, Macara and Huaquillas

2.5 Inspection on Arrival

Not specified.

2.6 Sampling Rate

Not provided by the importing country.

2.7 Transit Requirements

Not provided by the importing country.

2.8 Wood packaging

Refer to forestry ICPR for Ecuador, link below:

<http://www.mpi.govt.nz/law-and-policy/requirements/importing-countries-phytosanitary-requirements/forestry-icprs/ecuador/>

3. Commodity Class Requirements

3.1 Fruit and Vegetables

3.1.1 Fresh Fruit and Vegetables

Conditions:

Import permit required

3.1.2 Dried/Cured/Processed Fruit and Vegetables

Conditions:

Import permit required

3.1.3 Frozen Fruit and Vegetables

Conditions:

Import permit required

3.2 Cut Flowers and Foliage

3.2.1 Fresh Cut Flowers and Foliage

Conditions:

Import permit required

3.2.2 Dried Cut Flowers and Foliage

Conditions:

Import permit required

3.3 Nursery Stock

3.3.1 Budwood/Cuttings

Conditions:

Import permit required

3.3.2 Bulbs/Corms/Rhizomes/Tubers etc.

Conditions:

Import permit required

3.3.3 Whole Plants

Conditions:

Import permit required

3.3.4 Tissue Culture

Conditions:

Import permit required

3.4 Seeds, Grains and Nuts

3.4.1 Seeds, Grains and Nuts for Sowing

Conditions:

Phytosanitary certificate and import permit required unless specified in section 4.4.1

3.4.2 Seeds, Grains and Nuts for Processing

Conditions:

Import permit required

3.4.3 Seeds, Grains and Nuts for Consumption

Conditions:

Import permit required

3.5 Growing Media and Packing Material

3.5.1 Growing Media

Conditions:

Import permit required

3.5.2 Packing Material

Conditions:

Import permit required

4. Commodity Specific Requirements

4.1 Fruit and Vegetables

4.1.1 Fresh Fruit and Vegetables

Conditions:

Import permit required

4.1.2 Dried/Cured/Processed Fruit and Vegetables

Conditions:

Import permit required

4.1.3 Frozen Fruit and Vegetables

Conditions:

Import permit required

4.2 Cut Flowers and Foliage

4.2.1 Fresh Cut Flowers and Foliage

Conditions:

Import permit required

4.2.2 Dried Cut Flowers and Foliage

Conditions:

Import permit required

4.3 Nursery Stock

4.3.1 Budwood and Cuttings

Conditions:

Import permit required

4.3.2 Bulbs/Corms/Rhizomes/Tubers for propagation

Lilium spp.

Lily

Conditions:

Import permit, phytosanitary certificate and additional declaration required.
Treatment required. The consignment must be free from soil and other debris.

Additional declaration:

"The consignment comes from parent plants which have been tested and found free from *Pseudomonas marginalis*, *Aphelenchoides ritzemabosi*, *Helicotylenchus digonicus*, *Meloidogyne fallax*, *Pratylenchus crenatus*, *Pratylenchus neglectus*, *Pratylenchus penetrans*, *Pratylenchus pratensis*, *Pratylenchus thornei*, *Pratylenchus vulnus*, Apple stem (TLV), Arabis mosaic virus (ARMV), Lily mottle virus (LMOV), Lily symptomless virus (LSV), Lily virus X (LVX), Strawberry latent ringspot virus (SLRSV), Tobacco rattle virus (TRV), Tulip breaking virus (TBV), Turnip mosaic virus (TuMV)."

Treatment requirements:

The bulbs must be immersed in Pyrimiphos-methyl 500 g / l EC at doses of 10 cc / l.

Note: An equivalent treatment may be considered by MPI if it is effective against *Dysaphis tulipae*, *Eumerus strigatus*, *Eumerus tuberculatus*, *Lampetia equestris*, *Lasioderma serricorne*, *Liothrips vaneeckei*, *Naupactus leucoloma* and *Spodoptera litura*.

Zantedeschia spp.

Zantedeschia

Conditions:

Import permit and phytosanitary certificate required. The material must be contained in new packaging/boxes. A phytosanitary inspection at the point of entry into the country and sampling laboratory will be conducted.

Additional declaration:

"The bulbs are free of: *Erwinia carotovora* subsp. *carotovora*, Tomato spotted wilt, *Leveillula taurica*, *Theretra oldenlandiae* and *Thielaviopsis basicota*"

4.3.3 Whole Plants

Protea spp.

Protea

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required. The material must be contained in new packaging/boxes. The plant material will be inspected at the point of entry and may require sampling for laboratory analysis. If the material does not meet phytosanitary import requirements it may be subjected to Post-Entry Quarantine.

Additional declaration:

"The plants are free of: *Pseudococcus calceolaria*, *Batcheloromyces proteae*, *Botryosphaeria stevensii* and *Coleroa senniana*"

Rosa spp.

Rose (Pink buds)

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required. The material must be contained in new packaging/boxes. Phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

"The consignment is free of; *Amphimallon majalis*, *Brachyirinus ovatus*, *Botryosphaeria ribis*, *Valsa ambiens*, *Clitocybe tabescens*, *Crioceris asparagi*, *Cryptosporium minimum*, *Emboloecia saizalitae*, *Epichoristodes acerbella*, *Neolasioptera hibisci*, *Papaipema nebris*, *Quadraspidiotus perniciosus*, Roseflower break virus, Rose mosaic virus, Rose ring pattern virus, Rose spring dwarf virus, Rose leaf curl virus, Strawberry latent ring spot, *Tortrix pronubana* and *Xiphinema diversicaudatum*"

4.3.4 Tissue Culture

Zantedeschia spp.

Zantedeschia

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required. The material must be contained in new opaque containers. A phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

"The tissue cultures are free of: *Erwinia carotovora* subsp. *carotovora*, Tomato spotted wilt, *Leveillula taurica*, *Thereatra oldenlandiae* and *Thielaviopsis basicota*"

4.4 Seeds, Grains and Nuts

4.4.1 Seeds, Grains and Nuts for Sowing

Beta vulgaris

Beet

Conditions:

Import permit required. Phytosanitary certificate and additional declaration required.

Additional declaration:

"The shipment comes free from *Pectobacterium rhapontici*, *Pseudomonas syringae* pv. *aptata*, *Rhodococcus fascians*, *Amaranthus albus*, *Cuscuta campestris*, *Cuscuta europea*, *Euphorbia helioscopia*, *Heliotropium europaeum*, *Lepidium draba*, *Sinapis arvensis*, *Thlaspi arvense*, *Xanthium strumarium*, Arabis mosaic virus (AMV), Asparagus virus 2 (AV-2), Cycas necrotic stunt virus (CNSV), Grapevine fanleaf virus (GFLV), Lettuce mosaic virus (LMV), Spinach latent virus (SPLV), Strawberry latent ringspot virus (SLRV), Tobacco rattle virus (TRV), Tobacco ringspot virus (TRSV) and Tobacco streak virus (TSV) by means of laboratory certificate No. ".." (Write the laboratory diagnostic number)".

Treatment:

Disinfection treatment in pre shipping with Fludioxinol 2.5% + Metalaxyl-M 1% - FS, in a dose of 1ml per litre of water or other product of similar action in doses suitable for: *Acremonium atra*, *Albugo candida*, *Cephalosporium* sp., *Chaetomium globosum*, *Colletotrichum dematium*, *Colletotrichum dematium* f.sp. *spinaciae*, *Curvularia* sp., *Curvularia spicifera*, *Davidiella variabile*, *Epicoecium* sp., *Helminthosporium* sp., *Lewia infectoria*, *Peronospora farinosa*

f.sp. *betae*, *Peronospora parasitica*, *Phoma betae*, *Ramularia betae*, *Septoria betae*, *Trichothecium roseum* and *Uredo betae*.

Brassica napus

Rape seed

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required.

Conditions on the import permit may contain the following:

A certified copy of the list of *Brassica napus* producers registered in New Zealand is required. Seeds for planting must be free of soil and other foreign material. Packaging material must be new and clean.

Additional declaration:

The shipment was tested and found free from *Pseudomonas maculicola*, *Pseudomonas marginalis* pv. *marginalis*, *Aster yellows phytoplasma* group, *Alopecurus myosuroides*, *Cardaria draba*, *Cirsium arvense*, *Convolvulus arvensis*, *Cuscuta campestris*, *Cuscuta epithimum*, *Elymus repens*, *Euphorbia helioscopia*, *Heliotropium europaeum*, *Hibiscus trionum*, *Hieracium piloselle*, *Phalaris paradoxa*, *Polygonum hydropiper*, *Polygonum lapathifolium*, *Sinapis arvensis*, *Sisymbrium irio*, *Sonchus avensis* and *Thlaspi arvense*.

Treatment requirements:

Seeds must be treated with Carboxin and Captan (20% + 20% WP) at 2 grams per kilogram of seed.

NOTE: An equivalent treatment may be considered by MPI if it is effective against *Altermara japonica*, *Pyrenopeziza brassicae*, *Mycosphaerella brassicicola* and *Albugo candida*.

Bromus catharticus (syn. Bromus willdenowii)

Prairie Grass

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required. The seed must be packed in new packages. Phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

"The seed is free of: *Pseudomonas syringae* pv. *atropurpurea*, *Xanthomonas translucens*, *Urocystis agropyri* and *Mycosphaerella recutita*."

Dactylis glomerata

Cocksfoot/Orchard grass

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required. The seed must be packed in new packages. Phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

"The seed is free of: *Pseudomonas syringae* pv. *atropurpurea*, *Xanthomonas translucens*, *Urocystis agropyri* and *Mycosphaerella recutita*."

Daucus carota

Carrot

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required. The seed must be packed in new packages. The shipment must be free of soil and any foreign material. Phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

"The shipment comes free of *Pseudomonas viridiflava*, *Amaranthus graecizans*, *Cirsium arvense*, *Cuscuta campestris*, *Cuscuta epithymum*, *Orobanche minor*, *Sonchus arvensis*, *Thlaspi arvense*, *Arabid mosaic virus (ArMV)*, *Carrot red leaf virus (CtRLV)*, according to established procedures from lot number No. "... (Write the lot number corresponding to the shipment)".

Note: Seed lot should be declared free of the above pests based on the most appropriate detection method, e.g. inspection of visibly identifiable weed seeds, determination of *Orobanche minor* in accordance with section 4.5.3 of the ISTA Rules, and laboratory testing for the bacteria and viruses.

Treatment requirements:

Pre-shipment disinfection treatment with Fludioxonil 2.5% + Metalaxyl-M 1% - FS, in a dose of 2 ml/kg of seed or other product of similar action in doses suitable for *Alternaria cartiincultae*, *Alternaria dauci*, *Alternaria radicina*, *Cercospora carotae*, *Erysiphe heraclei*, *Phoma complanata* and *Rhizoctonia crocorum*.

Lolium x hybridum

Hybrid ryegrass

Lolium hybridum

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required. The seed must be packed in new packages. Phytosanitary inspection will be conducted at the point of entry

Additional declaration:

"The seed is free of *Pseudomonas syringae* pv. *atropurpurea*, *Xanthomonas translucens*, *Urocystis agropyri*, *Mycosphaerella recutita*, *Trogoderma granarium*, *Gloeotinia temulenta* and of weed seeds of the genus *Cuscuta* and *Orobanche*"

Note: If *Gloeotinia temulenta* and/or *Trogoderma granarium* are detected during the inspection prior to export, the following treatments have been advised by AGROCALIDAD:

Seeds were treated for *Gloeotinia temulenta* using a mixture of Carboxin + Captan at 2 grams per kilogram of seed, or underwent an equivalent treatment for *Gloeotinia temulenta*. AND

Seed was treated for *Trogoderma granarium* using one of the following phosphine disinfection treatments in the following doses:

- 3 tablets (every m³) at more than 21°C, for 4 days; or
- 3 tablets (every m³) at 16 to 20°C, for 5 days; or
- 3 tablets (every m³) at 11-15°C, for 8 days.

Lolium multiflorum

Annual Ryegrass

Conditions:

Import permit and phytosanitary certificate required. Additional declarations required. The seed must be packed in new packages. Phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

"The seed is free of *Pseudomonas syringae* pv. *atropurpurea*, *Xanthomonas translucens*, *Urocystis agropyri*, *Mycosphaerella recutita*, *Trogoderma*

granarium, *Gloeotinia temulenta* and of weed seeds of the genus *Cuscuta* and *Orobanche*”

Note: If *Gloeotinia temulenta* and/or *Trogoderma granarium* are detected during the inspection prior to export, the following treatments have been advised by AGROCALIDAD:

Seeds were treated for *Gloeotinia temulenta* using a mixture of Carboxin + Captan at 2 grams per kilogram of seed, or underwent an equivalent treatment for *Gloeotinia temulenta*. AND

Seed was treated for *Trogoderma granarium* using one of the following phosphine disinfection treatments in the following doses:

-3 tablets (every m³) at more than 21°C, for 4 days; or

-3 tablets (every m³) at 16 to 20°C, for 5 days; or

-3 tablets (every m³) at 11-15°C, for 8 days.

Lolium perenne

Perennial ryegrass

Conditions:

Import permit and phytosanitary certificate required. Additional declarations required. The seed must be packed in new packages. Phytosanitary inspection will be conducted at the point of entry. ISTA 400 standards can be used to certify that seeds are free of pests.

Additional declaration:

“The seed is free of *Pseudomonas syringae* pv. *atropurpurea*, *Xanthomonas translucens*, *Urocystis agropyri*, *Mycosphaerella recutita*, *Trogoderma granarium*, *Gloeotinia temulenta* and of weed seeds of the genus *Cuscuta* and *Orobanche*”.

Note: If *Gloeotinia temulenta* and/or *Trogoderma granarium* are detected during the inspection prior to export, the following treatments have been advised by AGROCALIDAD:

Seeds were treated for *Gloeotinia temulenta* using a mixture of Carboxin + Captan at 2 grams per kilogram of seed, or underwent an equivalent treatment for *Gloeotinia temulenta*. AND

Seed was treated for *Trogoderma granarium* using one of the following phosphine disinfection treatments in the following doses:

-3 tablets (every m³) at more than 21°C, for 4 days; or

-3 tablets (every m³) at 16 to 20°C, for 5 days; or

-3 tablets (every m³) at 11-15°C, for 8 days.

Plantago lanceolata

Ribwort/Plantain

Conditions:

Import permit and phytosanitary certificate required. Additional declarations required. The seed must be packed in new packages. Phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

“The seed is free of: *Xanthomonas translucens*, *Urocystis agropyri*, *Mycosphaerella recutita*, *Trogoderma granarium* and of weed seeds of the genus *Cuscuta* and *Orobanche*”.

Note: If *Trogoderma granarium* is detected the following treatment has been advised by AGROCALIDAD:

Seed was treated for *Trogoderma granarium* using one of the following phosphine disinfection treatments in the following doses:
-3 tablets (every m³) at more than 21°C, for 4 days; or
-3 tablets (every m³) at 16 to 20°C, for 5 days; or
-3 tablets (every m³) at 11-15°C, for 8 days.

Plantago spp. (not including P. lanceolata) Ribwort/Plantain

Conditions:

Import permit and phytosanitary certificate required. Additional declarations required. The seed must be packed in new packages. Phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

"The seed is free of: *Pseudomonas syringae* pv. *atropurpurea*, *Xanthomonas translucens*, *Urocystis agropyri*, *Mycosphaerella recutita*, *Trogoderma granarium* and of weed seeds of the genus *Cuscuta* and *Orobanchè*"

Note: If *Trogoderma granarium* is detected the following treatment has been advised by AGROCALIDAD:

Seed was treated for *Trogoderma granarium* using one of the following phosphine disinfection treatments:
-3 tablets (every m³) at more than 21°C, for 4 days; or
-3 tablets (every m³) at 16 to 20°C, for 5 days; or
-3 tablets (every m³) at 11-15°C, for 8 days.

Trifolium pratense Red clover

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required. The seed must be packed in new packages. Phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

"The seed is free of: *Phoma pinodella*, Arabis mosaic virus, Strawberry latent ringspot virus, *Cercospora zebrina* and *Leptosphaeria pratensis*."

Trifolium repens White clover

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required. The seed must be packed in new packages. Phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

"The seed is free of: *Phoma pinodella*, Arabis mosaic virus, Strawberry latent ringspot virus, *Cercospora zebrina* and *Leptosphaeria pratensis*."

Zantedeschia spp. Zantedeschia

Conditions:

Import permit and phytosanitary certificate required. Additional declaration required. The seed must be packed in new packages. Phytosanitary inspection will be conducted at the point of entry.

Additional declaration:

"The seed is free of: *Erwinia carotovora* subsp. *carotovora*, Dasheen mosaic virus and *Coccus hesperidum*"

4.4.2 Seeds, Grains and Nuts for Processing

Conditions:

Import permit required

4.4.3 Seeds, Grains and Nuts for Consumption

Conditions:

Import permit required

4.5 Growing Media and Packing Material

Conditions:

Import permit required

4.6 Miscellaneous

Conditions:

Import permit required